


ARRICK

COMPUTER PRODUCTS

1984 SUMMER COMPUTER DEALER CATALOG



(817) 540-0938

Our Policy ...

Arrick Computer Products has been manufacturing quality computer related equipment in the U.S.A. since 1980. Our extensive line of switch boxes and cables for all types of computers is unsurpassed in the industry. Competitive prices, outstanding quality and flexible policies will make you a satisfied customer.

HOW TO ORDER:

To place orders by phone, call (817) 540-0938 during normal business hours. Having our catalog numbers available will speed the ordering process. Confirming purchasing orders are not required. To order by mail send purchase order to:

Arrick Computer Products
Sales Department
P. O. Box 1406
Hurst, Texas 76053

WARRANTY:

Products in this catalog carry a five (5) year limited warranty. The implied warranties are limited to defects in workmanship and material only. Arrick Computer Products will repair or replace any product found to be defective, providing the product has not been mishandled, misused or altered in any way. ARRICK COMPUTER PRODUCTS and our dealers assume no other liability for loss or expense arising in the use of our products.

SHIPPING:

Most items are shipped from stock via UPS. Next day and 2nd day service is also available. Let us know your preference.

PRICES:

Prices vary with quantity purchased and are subject to change without notice. Most items can be bought in large quantity and have the shipments scheduled over a number of months in order to take advantage of quantity discounts.

PAYMENTS:

All orders are sent C.O.D. with shipping charges added to C.O.D. amount. Company checks are acceptable.

INDEX


QUICK-SWITCH APPLICATIONS	4
RS-232 (Serial), ESB Series QUICK-SWITCH.....	6
CENTRONICS (Parallel), CSB Series QUICK-SWITCH.....	7
RS-449, 3SB Series QUICK-SWITCH	8
IEEE-488, ISB Series QUICK-SWITCH.....	8
TWINAXIAL, XSB Series QUICK-SWITCH	9
TNC COAXIAL, ASB Series QUICK-SWITCH	9
BNC COAXIAL, BSB Series QUICK-SWITCH.....	9
DA15 CONNECTORS, 1SB Series QUICK-SWITCH.....	10
DE9 CONNECTORS, 9SB Series QUICK-SWITCH.....	10
DD50 CONNECTORS, 5SB Series QUICK-SWITCH.....	10
WANG, WSB Series QUICK-SWITCH	11
TANDY TRS-80 I, III, 4, TSB Series QUICK-SWITCH	11
CIRCULAR DIN CONNECTOR, DSB Series QUICK-SWITCH.....	12
CONNECTORS, PANELS AND CABLE.....	13
CABLE ASSEMBLIES IN ALPHABETICAL ORDER	14
A — CENTRONICS.....	15
CENTRONICS FLAT — CIRCULAR DIN 6 PIN	16
COAX — NEC.....	17
OSBORNE — RS-232 9 LINE	18
RS-232 12 LINE — RS-232 FLAT	19
RS-232 SHIELDED 4 LINE — RS-232 SHIELDED 12 LINE	20
RS-232 SHIELDED 25 LINE — TANDY TRS-80 I, III, 4.....	21
TANDY TRS-80 II, 12, 16 — WANG.....	22
PRINTER STANDS, DISK-O-TEL, APPLE STAND.....	23

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

About the QUICK-SWITCH



- CONNECT AND DISCONNECT COMPUTERS AND THEIR COMPONENTS AT THE FLIP OF A SWITCH.
- ELIMINATE CONNECTOR WEAR CAUSED BY PLUGGING AND UNPLUGGING CABLES.
- ORGANIZE MESSY CABLES.
- MODELS COMPATIBLE WITH VIRTUALLY ALL COMPUTERS, PRINTERS, TERMINALS AND MODEMS.
- ATTRACTIVE ALL METAL DESIGN.

WHAT IS A QUICK-SWITCH

The QUICK-SWITCH allows the connection and disconnection of computers and computer devices with just a flip of a switch, without plugging and unplugging cables. Direction of the data is determined by the position of the switch. For example, position A would direct the output of your computer to a letter quality printer and position B would direct the output to a high speed printer. Several computers could use the same printer or a terminal could use several different computers - - the applications are unlimited.

WHAT SYSTEMS CAN USE A QUICK-SWITCH




All system configurations that require the operator to manually switch cables, systems where there are not enough I/O ports to support all the printers or terminals needed, systems where one terminal is required to communicate with several computers and many more.

HOW TO CHOOSE A QUICK-SWITCH

To choose a QUICK-SWITCH for your application, decide on the number of positions needed by referring to the examples on page 5, then determine the type of interface by selecting the connector type from the chart on the same page. The chart will tell you which page to find that particular switch and the page that cables can be found for that switch.

HOW TO INSTALL A QUICK-SWITCH

Installation is as simple as connecting the cables to the switch and to the devices being used. No power is required. The QUICK-SWITCH can be set on top of a terminal, next to a printer or anywhere it is easily accessible to the user.



THE 5TH CHARACTER IN A QUICK-SWITCH PART NUMBER IS THE NUMBER OF POSITIONS.

CONNECTOR	SWITCH ON PAGE	CABLES ON PAGE	# OF PINS	SERIES	USED WITH
	6	18	25	ESB	Virtually all devices with the industry standard RS-232 (Serial) interface.
	7	15	36	CSB	Virtually all devices with the industry standard Centronics (Parallel) interface.
	8	21	37	3SB	Devices using 37 PIN D-SUB connectors.
	8	CALL	24	ISB	Devices using IEEE-488 interface.
	9	22	2	XSB	IBM System 34, 36, 38 and other twinaxial interfaces.
	9	17	1	ASB	Any device using TNC connectors.
	9	17	1	BSB	Any device using BNC connectors.
	10	CALL	15	1SB	Devices using 15 pin D-Sub connectors such as NCR, TI and Atari.
	10	CALL	9	9SB	Devices using 9 pin D-Sub connectors such as Atari and RS-449 secondary.
	10	CALL	50	5SB	Devices using 50 pin D-Sub connectors such as Datapoint and Basic-4.
	11	22	2	WSB	Wang Dual Coax Interface.
	11	21	34	TSB	Tandy TRS-80 Model I, III and 4.
	12	16	3-6	DSB	Commodore, TRS-80, IBM, EPSON and others.

ESB SERIES QUICK-SWITCH



TYPE: RS-232 (Serial).

USED WITH: Virtually all devices with the industry standard RS-232 (Serial) interface.

CONNECTORS: Female, 25 pin, DB25S.

STANDARD SWITCHES (USED WHEN ONLY 12 OF THE MOST POPULAR LINES NEED TO BE SWITCHED — 2-8, 11, 15, 17, 20, 22.)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2000	RS-232, 2 position, 12 lines switched	53.20	49.40	45.60	41.80	75.95
ESB-3000	RS-232, 3 position, 12 lines switched	70.00	65.00	60.00	55.00	99.95
ESB-4000	RS-232, 4 position, 12 lines switched	77.00	71.50	66.00	60.50	109.95
ESB-5000	RS-232, 5 position, 12 lines switched	91.00	84.50	78.00	71.50	129.95
ESB-X	RS-232, cross over, 12 lines switched	70.00	65.00	60.00	55.00	99.95

SPECIAL SWITCHES (USED WHEN 24 LINES NEED TO BE SWITCHED.)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2100	RS-232, 2 position, 24 lines switched	74.20	68.90	63.60	58.30	105.95
ESB-3100	RS-232, 3 position, 24 lines switched	95.20	88.40	81.60	74.80	135.95
ESB-4100	RS-232, 4 position, 24 lines switched	116.70	107.90	99.60	91.30	165.95
ESB-X1	RS-232, cross over, 24 lines switched	102.20	94.90	87.60	80.30	145.95


RS-232 CABLES FOR THE ESB SERIES QUICK-SWITCH
CAN BE FOUND ON PAGE 18

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CSB SERIES QUICK-SWITCH




TYPE: Centronics (Parallel).

USED WITH: Virtually all devices with the industry standard Centronics (Parallel) interface.

CONNECTORS: Female, 36 pin, Amphenol 57-40360.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
CSB-2000	Centronics, 2 position	70.00	65.00	60.00	55.00	99.95
CSB-3000	Centronics, 3 position	81.20	75.40	69.60	63.80	115.95
CSB-4000	Centronics, 4 position	98.00	91.00	84.00	77.00	139.95
CSB-5000	Centronics, 5 position	116.20	107.90	99.60	91.30	165.95
CSB-X	Centronics, cross over	88.20	81.90	75.60	69.30	125.95

Applications with the IBM PC.



CENTRONICS CABLES FOR THE CSB SERIES QUICK-SWITCH
CAN BE FOUND ON PAGE 15.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


3SB SERIES QUICK-SWITCH



TYPE: RS-449


USED WITH: Devices using 37 pin D-SUB connectors.

CONNECTORS: Female, 37 pin, DC37S



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
3SB-2000	2 position, RS-449	98.00	91.00	84.00	77.00	139.95
*3SB-3000	3 position, RS-449	98.00	91.00	84.00	77.00	139.95
*3SB-4000	4 position, RS-449	116.20	107.90	99.60	91.30	165.95
*3SB-X	Cross over, RS-449	102.90	95.55	88.20	80.85	146.95
*24 Lines Switched						


ISB SERIES QUICK-SWITCH



TYPE: IEEE-488

USED WITH: Devices using IEEE-488 interface.

CONNECTORS: Female, 24 pin.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ISB-2000	2 position, IEEE-488	77.70	72.15	66.60	61.05	110.95
ISB-3000	3 position, IEEE-488	100.10	92.95	85.80	78.65	142.95
ISB-4000	4 position, IEEE-488	121.10	112.45	103.80	95.15	172.95
ISB-X	Cross over, IEEE-488	107.10	99.45	91.80	84.15	152.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

XSB SERIES QUICK-SWITCH



TYPE: Twinaxial

USED WITH: IBM System 34, 36, 38 and other twinaxial interfaces.

CONNECTORS: Female twinaxial.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
XSB-2000	2 position, twinaxial	81.90	76.05	70.20	64.35	116.95
XSB-3000	3 position, twinaxial	99.40	92.30	85.20	78.10	141.95
XSB-4000	4 position, twinaxial	118.30	109.85	101.40	92.95	168.95
XSB-5000	5 position, twinaxial	151.20	127.40	117.60	107.80	195.95
XSB-X	Crossover, twinaxial	99.40	92.30	85.20	78.10	141.95

Cables for the XSB Series Quick-Switch can be found on page 22.

ASB SERIES QUICK-SWITCH



TYPE: TNC COAX

USED WITH: Any device using TNC connectors.

CONNECTORS: Female TNC COAX.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ASB-2000	2 position, TNC COAX	37.10	34.45	31.80	29.15	52.95
ASB-3000	3 position, TNC COAX	39.90	37.05	34.20	31.35	56.95
ASB-4000	4 position, TNC COAX	42.70	39.65	36.60	33.55	60.95
ASB-5000	5 position, TNC COAX	44.80	41.80	38.40	35.20	63.95
ASB-X	Crossover, TNC COAX	39.90	37.05	34.20	31.35	56.95

Cables for the ASB Series Quick-Switch can be found on page 17.

BSB SERIES QUICK-SWITCH



TYPE: BNC COAX

USED WITH: Any device using BNC connectors.

CONNECTORS: Female BNC COAX.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
BSB-2000	2 position, BNC COAX	37.10	34.45	31.80	29.15	52.95
BSB-3000	3 position, BNC COAX	39.90	37.05	34.20	31.35	56.95
BSB-4000	4 position, BNC COAX	42.70	39.65	36.60	33.55	60.95
BSB-5000	5 position, BNC COAX	44.80	41.80	38.40	35.20	63.95
BSB-X	Crossover, BNC COAX	39.90	37.05	34.20	31.35	56.95

Cables for the BSB Series Quick-Switch can be found on page 17.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

1SB SERIES QUICK-SWITCH



TYPE: DA15

USED WITH: Devices using 15 pin D-Sub connectors such as NCR, TI and Atari.

CONNECTORS: Female, 15 pin, DA 15S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
1SB-2000	2 position, DA15	53.90	50.05	46.20	42.35	76.95
1SB-3000	3 position, DA15	72.80	67.60	62.40	57.20	103.95
1SB-4000	4 position, DA15	88.20	81.90	75.60	69.30	125.35
1SB-5000	5 position, DA15	105.60	96.20	88.80	81.40	147.95
1SB-X	Cross over, DA15	79.10	73.45	67.80	62.15	112.95

9SB SERIES QUICK-SWITCH



TYPE: DE9

USED WITH: Devices using 9 pin D-Sub connectors such as Atari and RS-449 secondary.

CONNECTORS: Female, 9 pin, DE9S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
9SB-2000	2 position, DE9	44.80	41.60	38.40	35.20	63.95
9SB-3000	3 position, DE9	56.00	22.00	48.00	44.00	79.95
9SB-4000	4 position, DE9	62.30	57.85	53.40	48.95	89.95
9SB-5000	5 position, DE9	74.90	69.55	64.20	58.85	106.95
9SB-X	Cross over, DE9	56.00	52.00	48.00	44.00	79.95

5SB SERIES QUICK-SWITCH



TYPE: DD50

USED WITH: Devices using 50 pin D-Sub connectors such as Datapoint and Basic-4.

CONNECTORS: Female, 50 pin, DD50S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
5SB-2000	2 position, DD50, 48 lines switched	118.30	107.85	101.40	92.95	168.95
5SB-3000	3 position, DD50, 24 lines switched	95.20	88.10	81.60	74.80	135.95
5SB-4000	4 position, DD50, 24 lines switched	114.10	105.95	97.80	89.65	162.95
5SB-X	Cross over, DD50, 24 lines switched	101.50	94.25	87.00	79.75	144.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

1984 SUMMER DEALER CATALOG


WSB SERIES QUICK-SWITCH



TYPE: Wang

USED WITH: Wang Dual Coax Interface.

CONNECTORS: Female BNC and TNC coax.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
WSB-2000	2 position, Wang Dual Coax	45.50	92.25	39.00	35.75	64.95
WSB-3000	3 position, Wang Dual Coax	50.40	46.80	43.20	39.60	71.95
WSB-4000	4 position, Wang Dual Coax	57.40	53.30	49.20	45.10	81.95
WSB-5000	5 position, Wang Dual Coax	62.50	57.85	53.40	48.95	88.95
WSB-X	Cross over, Wang Dual Coax	50.40	46.80	43.20	39.60	71.95

Cables for the WSB Series Quick-Switch can be found on page 22.


TSB SERIES QUICK-SWITCH



TYPE: Tandy TRS-80

USED WITH: Tandy TRS-80 Model I, III and 4.

CONNECTORS: Male 34 Pin Card Edge.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
TSB-2100	2 position, TRS-80 I, III, 4	58.10	53.95	49.80	45.65	82.95
TSB-3100	3 position, TRS-80 I, III, 4	75.60	70.20	64.80	59.40	107.95
TSB-4100	4 position, TRS-80 I, III, 4	84.70	78.65	72.60	66.55	120.95
TSB-5100	5 position, TRS-80 I, III, 4	100.80	93.60	86.40	79.20	143.95
TSB-X	Cross over, TRS-80 I, III, 4	75.60	70.20	64.80	59.40	107.95

Cables for the TSB Series Quick-Switch can be found on page 21.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

DSB SERIES QUICK-SWITCH



TYPE: Circular DIN

USED WITH: Commodore, TRS-80, IBM, EPSON and others.

CONNECTORS: 3, 4, 5 and 6 Pin Female Circular DIN.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
3 PIN						
DSB-2300	2 position, 3 pin DIN	35.00	32.50	30.00	27.50	49.95
DSB-3300	3 position, 3 pin DIN	37.10	34.45	31.80	29.15	52.95
DSB-4300	4 position, 3 pin DIN	39.20	36.40	33.60	30.80	55.95
DSB-5300	5 position, 3 pin DIN	40.60	37.70	34.80	31.90	57.95
DSB-X3	Cross over, 3 pin DIN	37.10	34.45	31.80	29.15	52.95
4 PIN						
DSB-2400	2 position, 4 pin DIN	35.00	32.50	30.00	27.50	49.95
dsb- 3400	3 position, 4 pin DIN	37.10	34.45	31.80	29.15	52.95
DSB-4400	4 position, 4 pin DIN	39.20	36.40	33.60	30.80	55.95
DSB-5400	5 position, 4 pin DIN	40.60	37.70	34.80	31.90	57.95
DSB-X4	Cross over, 4 pin DIN	37.10	34.45	31.80	29.15	52.95
5 PIN						
DSB-2500	2 position, 5 pin DIN	35.00	32.50	30.00	27.50	49.95
DSB-3500	3 position, 5 pin DIN	37.10	34.45	31.80	29.15	52.95
DSB-4500	4 position, 5 pin DIN	39.20	36.40	33.60	30.80	55.95
DSB-5500	5 position, 5 pin DIN	40.60	37.70	34.80	31.90	57.95
DSB-X5	Cross over, 5 pin DIN	37.10	34.45	31.80	29.15	52.95
6 PIN						
DSB-2600	2 position, 6 pin DIN	35.00	32.50	30.00	27.50	49.95
DSB-3600	3 position, 6 pin DIN	37.10	34.45	31.80	29.15	52.95
DSB-4600	4 position, 6 pin DIN	39.20	36.40	33.60	30.80	55.95
DSB-5600	5 position, 6 pin DIN	40.60	37.70	34.80	31.90	57.95
DSB-X6	Cross over, 6 pin DIN	37.10	34.45	31.80	29.15	52.95


Cables for the DSB Series Quick-Switch can be found on page 16.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CONNECTORS, PANELS AND CABLE




25 PIN MALE RS-232
WITH SOLDER PINS.

DB25P

2.72

2.53

2.38




25 PIN FEMALE RS-232
WITH SOLDER PINS.

DB25S

3.99

3.72

3.50



RS-232 PLASTIC HOOD
WITH SCREWS.

DB25H

1.27

1.18

1.11



JACKS SOCKETS TO MOUNT
CONNECTORS TO PANELS.
SET OF TWO.

D-20418-2

.93

.86

.81



MALE 36 PIN CENTRONICS
CONNECTOR WITH HOOD.
SOLDER PINS.

57-30360

6.79

6.31

5.94



RS-232 CONNECTOR WALL
PLATE. MOUNTS TO
STANDARD ELECTRICAL
BOX. ONE CUTOUT.

WP-1

3.22

2.99

2.81


AS ABOVE WITH TWO
CUTOUTS.

WP-2

3.58

3.33

3.13




16 CUTOUT PATCH PANEL
FOR RS-232 CONNECTORS,
MOUNTS IN STANDARD
19" RACK.

PP-16

47.00

44.00

41.00



4 CONDUCTOR CABLE

C-1107

.10

.09

.08

4 CONDUCTOR
SHIELDED CABLE

C-1657

.13

.12

.11

25 CONDUCTOR
SHIELDED CABLE

C-2500

.55

.51

.48

1'-999' 1000'-9999' 10000'-UP

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


1984 SUMMER DEALER CATALOG

CABLE ASSEMBLIES



- QUALITY COMPUTER CABLE ASSEMBLIES.
- PACKAGED FOR RETAIL SALE.
- LABELED FOR POSITIVE IDENTIFICATION.
- SHIELDED CABLES HELP COMPUTER INSTALLATIONS MEET FCC REQUIREMENTS.
- LISTED IN ALPHABETICAL ORDER.
- CUSTOM CABLES AVAILABLE.

CABLE ASSEMBLY PART NUMBERS.



THIS IS JUST A PARTIAL LIST,
IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.

APPLE

APPLE II

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1140-6	6', APPLE II PARALLEL CABLE	13.78	12.95	19.70
CA-1140-10	10', APPLE II PARALLEL CABLE	16.04	15.08	22.94
CA-1143-6	6', PRINTER CABLE W/PROMETHEUS CARD	14.20	13.35	20.31
CA-1143-10	10', PRINTER CABLE W/PROMETHEUS CARD	16.47	15.48	23.55

APPLE

APPLE IIc

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1145-6	6', APPLE IIc MODEM CABLE	8.65	8.13	12.36
CA-1145-10	10', APPLE IIc MODEM CABLE	9.64	9.06	13.79

APPLE

MACINTOSH

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1231-6	6', APPLE MACINTOSH MODEM CABLE	9.42	8.85	13.47
CA-1231-10	10', APPLE MACINTOSH MODEM CABLE	9.82	9.23	14.04

ATARI

850

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1241-6	6', ATARI 850 PARALLEL CABLE	17.60	16.54	25.16
CA-1241-10	10', ATARI 850 PARALLEL CABLE	20.12	18.91	28.78
CA-1242-6	6', ATARI 850 SERIAL CABLE	11.89	11.18	17.00
CA-1242-10	10', ATARI 850 SERIAL CABLE	12.89	12.11	18.43

CENTRONICS

PART #	DESCRIPTION	1-4	5-99	LIST
CA-C25F-6	6', CENTRONICS, F-F CABLE	21.36	20.08	30.54
CA-C25F-10	10', CENTRONICS, F-F CABLE	23.89	22.45	34.16
CA-C25F-25	25', CENTRONICS, F-F CABLE	33.37	31.36	47.72
CA-C25F-50	50', CENTRONICS, F-F CABLE	49.16	46.20	70.29
CA-C25F-75	75', CENTRONICS, F-F CABLE	64.96	61.05	92.89
CA-C25F-100	100', CENTRONICS, F-F CABLE	80.74	75.89	115.46
CA-C25M-6	6', CENTRONICS, M-M CABLE	17.50	16.45	25.03
CA-C25M-10	10', CENTRONICS, M-M CABLE	20.03	18.83	28.64
CA-C25M-25	25', CENTRONICS, M-M CABLE	29.51	27.74	42.20
CA-C25M-50	50', CENTRONICS, M-M CABLE	45.30	42.58	64.78
CA-C25M-75	75', CENTRONICS, M-M CABLE	61.10	57.43	87.37
CA-C25M-100	100', CENTRONICS, M-M CABLE	76.89	72.26	109.95
CA-C25X-6	6', CENTRONICS, M-F CABLE	19.43	18.26	27.79
CA-C25X-10	10', CENTRONICS, M-F CABLE	21.96	20.64	31.40
CA-C25X-25	25', CENTRONICS, M-F CABLE	31.44	29.55	44.96
CA-C25X-50	50', CENTRONICS, M-F CABLE	47.23	44.39	67.54
CA-C25X-75	75', CENTRONICS, M-F CABLE	63.03	59.24	90.13
CA-C25X-100	100', CENTRONICS, M-F CABLE	78.82	74.08	112.71

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CENTRONICS FLAT

PART #	DESCRIPTION	1-4	5-99	LIST
CA-CFLF-1	1', CENTRONICS FLAT, F-F CABLE	21.67	20.36	30.98
CA-CFLF-6	6', CENTRONICS FLAT, F-F CABLE	25.48	23.95	36.44
CA-CFLF-10	10', CENTRONICS FLAT, F-F CABLE	28.54	26.83	40.81
CA-CFLF-15	15', CENTRONICS FLAT, F-F CABLE	32.37	30.43	46.29
CA-CFLF-25	25', CENTRONICS FLAT, F-F CABLE	40.02	37.61	57.23
CA-CFLM-1	1', CENTRONICS FLAT, M-M CABLE	16.97	15.95	24.27
CA-CFLM-6	6', CENTRONICS FLAT, M-M CABLE	20.80	19.55	29.75
CA-CFLM-10	10', CENTRONICS FLAT, M-M CABLE	23.86	22.43	34.12
CA-CFLM-15	15', CENTRONICS FLAT, M-M CABLE	27.68	26.01	39.58
CA-CFLM-25	25', CENTRONICS FLAT, M-M CABLE	35.32	33.20	50.51
CA-CFLX-1	1', CENTRONICS FLAT, F-M CABLE	19.32	18.16	27.63
CA-CFLX-6	6', CENTRONICS FLAT, F-M CABLE	23.14	21.75	33.09
CA-CFLX-10	10', CENTRONICS FLAT, F-M CABLE	26.20	24.63	37.47
CA-CFLX-15	15', CENTRONICS FLAT, F-M CABLE	30.03	28.23	42.94
CA-CFLX-25	25', CENTRONICS FLAT, F-M CABLE	37.68	35.41	53.88

1' CABLES CAN BE USED AS GENDER CHANGERS.

CIRCULAR DIN 3 PIN

PART #	DESCRIPTION	1-4	5-99	LIST
CA-CD3M-6	6', M-M, 3 PIN CIRCULAR DIN CABLE	3.34	3.14	4.77
CA-CD3M-10	10', M-M, 3 PIN CIRCULAR DIN CABLE	3.74	3.51	5.34
CA-CD3M-15	15', M-M, 3 PIN CIRCULAR DIN CABLE	4.24	3.99	6.07

CIRCULAR DIN 4 PIN

PART #	DESCRIPTION	1-4	5-99	LIST
CA-CD4M-6	6', M-M, 4 PIN CIRCULAR DIN CABLE	3.51	3.30	5.02
CA-CD4M-10	10', M-M, 4 PIN CIRCULAR DIN CABLE	3.91	3.68	5.59
CA-CD4M-15	15', M-M, 4 PIN CIRCULAR DIN CABLE	4.40	4.14	6.30

CIRCULAR DIN 5 PIN

PART #	DESCRIPTION	1-4	5-99	LIST
CA-CD5M-6	6', M-M, 5 PIN CIRCULAR DIN	4.58	4.30	6.54
CA-CD5M-10	10', M-M, 5 PIN CIRCULAR DIN	5.57	5.24	7.97
CA-CD5M-15	15', M-M, 5 PIN CIRCULAR DIN	6.82	6.41	9.76

CIRCULAR DIN 6 PIN

PART #	DESCRIPTION	1-4	5-99	LIST
CA-CD6M-6	6', M-M, 6 PIN CIRCULAR DIN CABLE	4.91	4.61	7.02
CA-CD6M-10	10', M-M, 6 PIN CIRCULAR DIN CABLE	5.91	5.55	8.44
CA-CD6M-15	15', M-M, 6 PIN CIRCULAR DIN CABLE	7.16	6.73	10.23

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

COAX**BNC**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-BNCM-1	1', BNC COAXIAL M-M CABLE	5.51	5.18	7.87
CA-BNCM-6	6', BNC COAXIAL M-M CABLE	6.00	5.64	8.58
CA-BNCM-10	10', BNC COAXIAL M-M CABLE	6.40	6.01	9.15
CA-BNCM-25	25', BNC COAXIAL M-M CABLE	7.90	7.43	11.30
CA-BNCM-50	50', BNC COAXIAL M-M CABLE	10.39	9.76	14.85
CA-BNCM-75	75', BNC COAXIAL M-M CABLE	12.89	12.11	18.43

COAX**TNC**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-TNCM-1	1', TNC COAXIAL M-M CABLE	8.83	8.30	12.63
CA-TNCM-6	6', TNC COAXIAL M-M CABLE	9.32	8.76	13.33
CA-TNCM-10	10', TNC COAXIAL M-M CABLE	9.72	9.14	13.90
CA-TNCM-25	25', TNC COAXIAL M-M CABLE	11.23	10.55	16.05
CA-TNCM-50	50', TNC COAXIAL M-M CABLE	13.71	12.89	19.61
CA-TNCM-75	75', TNC COAXIAL M-M CABLE	16.21	15.24	23.18

IBEX**7200 SERIES**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1010-6	6', IBEX 7200 PRINTER CABLE	13.89	13.05	19.86
CA-1010-10	10', IBEX 7200 PRINTER CABLE	14.88	13.99	21.28
CA-1011-6	6', IBEX 7200 SEND/RECEIVE CABLE	7.00	6.58	10.00
CA-1011-10	10', IBEX 7200 SEND/RECEIVE CABLE	7.39	6.95	10.57
CA-1011-25	25', IBEX 7200 SEND/RECEIVE CABLE	8.90	8.36	12.72

IBM**PC**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1030-6	6', IBM PC PARALLEL PRINTER CABLE	19.42	18.25	27.77
CA-1030-10	10', IBM PC PARALLEL PRINTER CABLE	21.95	20.63	31.38
CA-1030-25	25', IBM PC PARALLEL PRINTER CABLE	31.43	29.54	44.94
CA-1031-6	6', IBM PC MODEM CABLE	12.56	11.80	17.95
CA-1031-10	10', IBM PC MODEM CABLE	13.55	12.74	19.38
CA-1032-6	6', IBM PC SERIAL PRINTER CABLE	11.05	10.39	15.80
CA-1032-10	10', IBM PC SERIAL PRINTER CABLE	12.05	11.33	17.23
CA-1032-25	25', IBM PC SERIAL PRINTER CABLE	15.80	14.85	22.59

IBM**TWINAXIAL**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-TWNM-6	6', TWIN AXIAL M-M CABLE	38.16	35.86	54.57
CA-TWNM-10	10', TWIN AXIAL M-M CABLE	39.49	37.11	56.47
CA-TWNM-25	25', TWIN AXIAL M-M CABLE	44.48	41.80	63.60
CA-TWNM-50	50', TWIN AXIAL M-M CABLE	52.79	49.61	75.49
CA-TWNM-75	75', TWIN AXIAL M-M CABLE	61.10	57.43	87.37
CA-TWNM-100	100', TWIN AXIAL M-M CABLE	69.41	65.24	99.26

NEC**APC**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1160-6	6', NEC APC PARALLEL CABLE	17.50	16.45	25.03
CA-1160-10	10', NEC APC PARALLEL CABLE	20.03	18.83	28.64
CA-1161-6	6', NEC APC MODEM CABLE	13.14	12.35	18.79
CA-1161-10	10', NEC APC MODEM CABLE	14.14	13.29	20.22

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
 F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
 LARGER QUANTITIES
 AVAILABLE UPON
 REQUEST

ARRICK
 COMPUTER PRODUCTS

OSBORNE

OSBORNE 1

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1000-6	6', OSBORNE 1 PRINTER CABLE	16.23	15.25	23.20
CA-1000-10	10', OSBORNE 1 PRINTER CABLE	19.29	18.13	27.58

PLEXUS

P40

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1100-6	6', PLEXUS PRINTER CABLE	23.58	22.16	33.72
CA-1100-10	10', PLEXUS PRINTER CABLE	26.11	24.54	37.33
CA-1100-25	25', PLEXUS PRINTER CABLE	35.58	33.44	50.88

RS-232

4 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R04F-6	6', 4 LINE, F-F, RS-232 CABLE	9.66	9.08	13.81
CA-R04F-10	10', 4 LINE, F-F, RS-232 CABLE	10.05	9.45	14.38
CA-R04F-25	25', 4 LINE, F-F, RS-232 CABLE	11.56	10.86	16.53
CA-R04F-50	50', 4 LINE, F-F, RS-232 CABLE	14.04	13.20	20.08
CA-R04F-75	75', 4 LINE, F-F, RS-232 CABLE	16.55	15.55	23.66
CA-R04F-100	100', 4 LINE, F-F, RS-232 CABLE	19.03	17.89	27.22
CA-R04M-6	6', 4 LINE, M-M, RS-232 CABLE	9.66	9.08	13.81
CA-R04M-10	10', 4 LINE, M-M, RS-232 CABLE	10.05	9.45	14.38
CA-R04M-25	25', 4 LINE, M-M, RS-232 CABLE	11.56	10.86	16.53
CA-R04M-50	50', 4 LINE, M-M, RS-232 CABLE	14.04	13.20	20.08
CA-R04M-75	75', 4 LINE, M-M, RS-232 CABLE	16.55	15.55	23.66
CA-R04M-100	100', 4 LINE, M-M, RS-232 CABLE	19.03	17.89	27.22
CA-R04X-6	6', 4 LINE, F-M, RS-232 CABLE	9.66	9.08	13.81
CA-R04X-10	10', 4 LINE, F-M, RS-232 CABLE	10.05	9.45	14.38
CA-R04X-25	25', 4 LINE, F-M, RS-232 CABLE	11.56	10.86	16.53
CA-R04X-50	50', 4 LINE, F-M, RS-232 CABLE	14.04	13.20	20.08
CA-R04X-75	75', 4 LINE, F-M, RS-232 CABLE	16.55	15.55	23.66
CA-R04X-100	100', 4 LINE, F-M, RS-232 CABLE	19.03	17.89	27.22

RS-232

9 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R09F-6	6', 9 LINE, F-F, RS-232 CABLE	11.05	10.39	15.80
CA-R09F-10	10', 9 LINE, F-F, RS-232 CABLE	12.05	11.33	17.23
CA-R09F-25	25', 9 LINE, F-F, RS-232 CABLE	15.80	14.85	22.59
CA-R09F-50	50', 9 LINE, F-F, RS-232 CABLE	20.02	20.70	31.50
CA-R09F-75	75', 9 LINE, F-F, RS-232 CABLE	28.26	26.56	40.42
CA-R09F-100	100', 9 LINE, F-F, RS-232 CABLE	34.50	32.43	49.34
CA-R09M-6	6', 9 LINE, M-M, RS-232 CABLE	11.05	10.39	15.80
CA-R09M-10	10', 9 LINE, M-M, RS-232 CABLE	12.05	11.33	17.23
CA-R09M-25	25', 9 LINE, M-M, RS-232 CABLE	15.80	14.85	22.59
CA-R09M-50	50', 9 LINE, M-M, RS-232 CABLE	20.02	20.70	31.50
CA-R09M-75	75', 9 LINE, M-M, RS-232 CABLE	28.26	26.56	40.42
CA-R09M-100	100', 9 LINE, M-M, RS-232 CABLE	34.50	32.43	49.34
CA-R09X-6	6', 9 LINE, F-M, RS-232 CABLE	11.05	10.39	15.80
CA-R09X-10	10', 9 LINE, F-M, RS-232 CABLE	12.05	11.33	17.23
CA-R09X-25	25', 9 LINE, F-M, RS-232 CABLE	15.80	14.85	22.59
CA-R09X-50	50', 9 LINE, F-M, RS-232 CABLE	20.02	20.70	31.50
CA-R09X-75	75', 9 LINE, F-M, RS-232 CABLE	28.26	26.56	40.42
CA-R09X-100	100', 9 LINE, F-M, RS-232 CABLE	34.50	32.43	49.34

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

RS-232

12 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R12F-6	6', 12 LINE, F-F, RS-232 CABLE	12.56	11.80	17.95
CA-R12F-10	10', 12 LINE, F-F, RS-232 CABLE	13.55	12.74	19.38
CA-R12F-25	25', 12 LINE, F-F, RS-232 CABLE	17.29	16.25	24.72
CA-R12F-50	50', 12 LINE, F-F, RS-232 CABLE	23.53	22.11	33.64
CA-R12F-75	75', 12 LINE, F-F, RS-232 CABLE	29.77	27.98	42.56
CA-R12F-100	100', 12 LINE, F-F, RS-232 CABLE	35.99	33.83	51.47
CA-R12M-6	6', 12 LINE, M-M, RS-232 CABLE	12.56	11.80	17.95
CA-R12M-10	10', 12 LINE, M-M, RS-232 CABLE	13.55	12.74	19.38
CA-R12M-25	25', 12 LINE, M-M, RS-232 CABLE	17.29	16.25	24.72
CA-R12M-50	50', 12 LINE, M-M, RS-232 CABLE	23.53	22.11	33.64
CA-R12M-75	75', 12 LINE, M-M, RS-232 CABLE	29.77	27.98	42.56
CA-R12M-100	100', 12 LINE, M-M, RS-232 CABLE	35.99	33.83	51.47
CA-R12X-6	6', 12 LINE, F-M, RS-232 CABLE	12.56	11.80	17.95
CA-R12X-10	10', 12 LINE, F-M, RS-232 CABLE	13.55	12.74	19.38
CA-R12X-25	25', 12 LINE, F-M, RS-232 CABLE	17.29	16.25	24.72
CA-R12X-50	50', 12 LINE, F-M, RS-232 CABLE	23.53	22.11	33.64
CA-R12X-75	75', 12 LINE, F-M, RS-232 CABLE	29.77	27.98	42.56
CA-R12X-100	100', 12 LINE, F-M, RS-232 CABLE	35.99	33.83	51.47

RS-232

25 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R25F-6	6', 25 LINE, F-F, RS-232 CABLE	21.33	20.05	30.51
CA-R25F-10	10', 25 LINE, F-F, RS-232 CABLE	23.86	22.43	34.12
CA-R25F-25	25', 25 LINE, F-F, RS-232 CABLE	33.33	31.33	47.66
CA-R25F-50	50', 25 LINE, F-F, RS-232 CABLE	49.13	46.18	70.26
CA-R25F-75	75', 25 LINE, F-F, RS-232 CABLE	64.92	61.01	92.83
CA-R25F-100	100', 25 LINE, F-F, RS-232 CABLE	80.72	75.86	115.43
CA-R25M-6	6', 25 LINE, M-M, RS-232 CABLE	21.33	20.05	30.51
CA-R25M-10	10', 25 LINE, M-M, RS-232 CABLE	23.86	22.43	34.12
CA-R25M-25	25', 25 LINE, M-M, RS-232 CABLE	33.33	31.33	47.66
CA-R25M-50	50', 25 LINE, M-M, RS-232 CABLE	49.13	46.18	70.26
CA-R25M-75	75', 25 LINE, M-M, RS-232 CABLE	64.92	61.01	92.83
CA-R25M-100	100', 25 LINE, M-M, RS-232 CABLE	80.72	75.86	115.43
CA-R25X-6	6', 25 LINE, F-M, RS-232 CABLE	21.33	20.05	30.51
CA-R25X-10	10', 25 LINE, F-M, RS-232 CABLE	23.86	22.43	34.12
CA-R25X-25	25', 25 LINE, F-M, RS-232 CABLE	33.33	31.33	47.66
CA-R25X-50	50', 25 LINE, F-M, RS-232 CABLE	49.13	46.18	70.26
CA-R25X-75	75', 25 LINE, F-M, RS-232 CABLE	64.92	61.01	92.83
CA-R25X-100	100', 25 LINE, F-M, RS-232 CABLE	80.72	75.86	115.43

RS-232

FLAT

PART #	DESCRIPTION	1-4	5-99	LIST
CA-RFLF-1	1', RS-232 FLAT F-F CABLE	14.28	13.43	20.43
CA-RFLF-6	6', RS-232 FLAT F-F CABLE	17.10	16.08	24.46
CA-RFLF-10	10', RS-232 FLAT F-F CABLE	19.36	18.20	27.69
CA-RFLF-15	15', RS-232 FLAT F-F CABLE	22.20	20.86	31.74
CA-RFLF-25	25', RS-232 FLAT F-F CABLE	27.85	26.18	39.83
CA-RFLM-1	1', RS-232 FLAT M-M CABLE	12.95	12.18	18.52
CA-RFLM-6	6', RS-232 FLAT M-M CABLE	15.77	14.83	22.56
CA-RFLM-10	10', RS-232 FLAT M-M CABLE	18.03	16.95	25.79
CA-RFLM-15	15', RS-232 FLAT M-M CABLE	20.87	19.61	29.84
CA-RFLM-25	25', RS-232 FLAT M-M CABLE	26.52	24.93	37.92
CA-RFLX-1	1', RS-232 FLAT F-M CABLE	13.62	12.80	19.48
CA-RFLX-6	6', RS-232 FLAT F-M CABLE	16.44	15.45	23.51
CA-RFLX-10	10', RS-232 FLAT F-M CABLE	18.70	17.58	26.74
CA-RFLX-15	15', RS-232 FLAT F-M CABLE	21.53	20.24	30.79
CA-RFLX-25	25', RS-232 FLAT F-M CABLE	27.19	25.55	38.87

1' CABLES CAN BE USED AS GENDER CHANGERS

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

RS-232 SHIELDED 4 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-S04F-6	6', 4L F-F SHIELDED RS232 CABLE	10.65	10.01	15.23
CA-S04F-10	10', 4L F-F SHIELDED RS232 CABLE	11.29	10.61	16.15
CA-S04F-25	25', 4L F-F SHIELDED RS232 CABLE	13.63	12.81	19.49
CA-S04F-50	50', 4L F-F SHIELDED RS232 CABLE	17.54	16.49	25.09
CA-S04F-75	75', 4L F-F SHIELDED RS232 CABLE	21.45	20.16	30.68
CA-S04F-100	100', 4L F-F SHIELDED RS232 CABLE	25.35	23.83	36.25
CA-S04M-6	6', 4L M-M SHIELDED RS232 CABLE	10.65	10.01	15.23
CA-S04M-10	10', 4L M-M SHIELDED RS232 CABLE	11.29	10.61	16.15
CA-S04M-25	25', 4L M-M SHIELDED RS232 CABLE	13.63	12.81	19.49
CA-S04M-50	50', 4L M-M SHIELDED RS232 CABLE	17.54	16.49	25.09
CA-S04M-75	75', 4L M-M SHIELDED RS232 CABLE	21.45	20.16	30.68
CA-S04M-100	100', 4L M-M SHIELDED RS232 CABLE	25.35	23.83	36.25
CA-S04X-6	6', 4L F-M SHIELDED RS232 CABLE	10.65	10.01	15.23
CA-S04X-10	10', 4L F-M SHIELDED RS232 CABLE	11.29	10.61	16.15
CA-S04X-25	25', 4L F-M SHIELDED RS232 CABLE	13.63	12.81	19.49
CA-S04X-50	50', 4L F-M SHIELDED RS232 CABLE	17.54	16.49	25.09
CA-S04X-75	75', 4L F-M SHIELDED RS232 CABLE	21.45	20.16	30.68
CA-S04X-100	100', 4L F-M SHIELDED RS232 CABLE	25.35	23.83	36.25

RS-232 SHIELDED 9 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-S09F-6	6', 9L F-F SHIELDED RS232 CABLE	12.42	11.68	17.76
CA-S09F-10	10', 9L F-F SHIELDED RS232 CABLE	13.89	13.05	19.86
CA-S09F-25	25', 9L F-F SHIELDED RS232 CABLE	19.36	18.20	27.69
CA-S09F-50	50', 9L F-F SHIELDED RS232 CABLE	28.52	26.80	40.78
CA-S09F-75	75', 9L F-F SHIELDED RS232 CABLE	37.65	35.39	53.84
CA-S09F-100	100', 9L F-F SHIELDED RS232 CABLE	46.80	43.99	66.93
CA-S09M-6	6', 9L M-M SHIELDED RS232 CABLE	12.42	11.68	17.76
CA-S09M-10	10', 9L M-M SHIELDED RS232 CABLE	13.89	13.05	19.86
CA-S09M-25	25', 9L M-M SHIELDED RS232 CABLE	19.36	18.20	27.69
CA-S09M-50	50', 9L M-M SHIELDED RS232 CABLE	28.52	26.80	40.78
CA-S09M-75	75', 9L M-M SHIELDED RS232 CABLE	37.65	35.39	53.84
CA-S09M-100	100', 9L M-M SHIELDED RS232 CABLE	46.80	43.99	66.93
CA-S09X-6	6', 9L F-M SHIELDED RS232 CABLE	12.42	11.68	17.76
CA-S09X-10	10', 9L F-M SHIELDED RS232 CABLE	13.89	13.05	19.86
CA-S09X-25	25', 9L F-M SHIELDED RS232 CABLE	19.36	18.20	27.69
CA-S09X-50	50', 9L F-M SHIELDED RS232 CABLE	28.52	26.80	40.78
CA-S09X-75	75', 9L F-M SHIELDED RS232 CABLE	37.65	35.39	53.84
CA-S09X-100	100', 9L F-M SHIELDED RS232 CABLE	46.80	43.99	66.93

RS-232 SHIELDED 12 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-S12F-6	6', 12L F-F SHIELDED RS232 CABLE	13.91	13.08	19.89
CA-S12F-10	10', 12L F-F SHIELDED RS232 CABLE	15.37	14.45	21.99
CA-S12F-25	25', 12L F-F SHIELDED RS232 CABLE	20.87	19.61	29.84
CA-S12F-50	50', 12L F-F SHIELDED RS232 CABLE	30.00	28.20	42.91
CA-S12F-75	75', 12L F-F SHIELDED RS232 CABLE	39.16	36.80	55.99
CA-S12F-100	100', 12L F-F SHIELDED RS232 CABLE	48.29	45.39	69.06
CA-S12M-6	6', 12L M-M SHIELDED RS232 CABLE	13.91	13.08	19.89
CA-S12M-10	10', 12L M-M SHIELDED RS232 CABLE	15.37	14.45	21.99
CA-S12M-25	25', 12L M-M SHIELDED RS232 CABLE	20.87	19.61	29.84
CA-S12M-50	50', 12L M-M SHIELDED RS232 CABLE	30.00	28.20	42.91
CA-S12M-75	75', 12L M-M SHIELDED RS232 CABLE	39.16	36.80	55.99
CA-S12M-100	100', 12L M-M SHIELDED RS232 CABLE	48.29	45.39	69.06
CA-S12X-6	6', 12L F-M SHIELDED RS232 CABLE	13.91	13.08	19.89
CA-S12X-10	10', 12L F-M SHIELDED RS232 CABLE	15.37	14.45	21.99
CA-S12X-25	25', 12L F-M SHIELDED RS232 CABLE	20.87	19.61	29.84
CA-S12X-50	50', 12L F-M SHIELDED RS232 CABLE	30.00	28.20	42.91
CA-S12X-75	75', 12L F-M SHIELDED RS232 CABLE	39.16	36.80	55.99
CA-S12X-100	100', 12L F-M SHIELDED RS232 CABLE	48.29	45.39	69.06

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

RS-232 SHIELDED 25 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-S25F-6	6', 25L F-F SHIELDED RS232 CABLE	22.00	20.68	31.46
CA-S25F-10	10', 25L F-F SHIELDED RS232 CABLE	24.53	23.05	35.07
CA-S25F-25	25', 25L F-F SHIELDED RS232 CABLE	33.99	31.95	48.61
CA-S25F-50	50', 25L F-F SHIELDED RS232 CABLE	49.80	46.80	71.21
CA-S25F-75	75', 25L F-F SHIELDED RS232 CABLE	65.58	61.64	93.78
CA-S25F-100	100', 25L F-F SHIELDED RS232 CABLE	81.38	76.49	116.38
CA-S25M-6	6', 25L M-M SHIELDED RS232 CABLE	22.00	20.68	31.46
CA-S25M-10	10', 25L M-M SHIELDED RS232 CABLE	24.53	23.05	35.07
CA-S25M-25	25', 25L M-M SHIELDED RS232 CABLE	33.99	31.95	48.61
CA-S25M-50	50', 25L M-M SHIELDED RS232 CABLE	49.80	46.80	71.21
CA-S25M-75	75', 25L M-M SHIELDED RS232 CABLE	65.58	61.64	93.78
CA-S25M-100	100', 25L M-M SHIELDED RS232 CABLE	81.38	76.49	116.38
CA-S25X-6	6', 25L F-M SHIELDED RS232 CABLE	22.00	20.68	31.46
CA-S25X-10	10', 25L F-M SHIELDED RS232 CABLE	24.53	23.05	35.07
CA-S25X-25	25', 25L F-M SHIELDED RS232 CABLE	33.99	31.95	48.61
CA-S25X-50	50', 25L F-M SHIELDED RS232 CABLE	49.80	46.80	71.21
CA-S25X-75	75', 25L F-M SHIELDED RS232 CABLE	65.58	61.64	93.78
CA-S25X-100	100', 25L F-M SHIELDED RS232 CABLE	81.38	76.49	116.38

RS-449

PART #	DESCRIPTION	1-4	5-99	LIST
CA-RS4F-6	6', F-F RS-449 CABLE	34.90	32.80	49.91
CA-RS4F-10	10', F-F RS-449 CABLE	40.49	38.05	57.89
CA-RS4F-25	25', F-F RS-449 CABLE	61.43	57.74	87.85
CA-RS4F-50	50', F-F RS-449 CABLE	96.35	90.55	137.77
CA-RS4F-100	100', F-F RS-449 CABLE	166.17	156.18	237.62
CA-RS4F-150	150', F-F RS-449 CABLE	236.00	221.80	337.47
CA-RS4M-6	6', M-M RS-449 CABLE	34.90	32.80	49.91
CA-RS4M-10	10', M-M RS-449 CABLE	40.49	38.05	57.89
CA-RS4M-25	25', M-M RS-449 CABLE	61.43	57.74	87.85
CA-RS4M-50	50', M-M RS-449 CABLE	96.35	90.55	137.77
CA-RS4M-100	100', M-M RS-449 CABLE	166.17	156.18	237.62
CA-RS4M-150	150', M-M RS-449 CABLE	236.00	221.80	337.47
CA-RS4X-6	6', F-M RS-449 CABLE	34.90	32.80	49.91
CA-RS4X-10	10', F-M RS-449 CABLE	40.49	38.05	57.89
CA-RS4X-25	25', F-M RS-449 CABLE	61.43	57.74	87.85
CA-RS4X-50	50', F-M RS-449 CABLE	96.35	90.55	137.77
CA-RS4X-100	100', F-M RS-449 CABLE	166.17	156.18	237.62
CA-RS4X-150	150', F-M RS-449 CABLE	236.00	221.80	337.47

TANDY

COLOR COMPUTER

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1110-6	6', COLOR COMPUTER PRINTER CABLE	5.25	4.94	7.51
CA-1110-10	10', COLOR COMPUTER PRINTER CABLE	5.65	5.31	8.08

TANDY

TRS-80 I, III, 4

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1080-6	6', TRS-80 I, III, 4 PRINTER CABLE	16.64	15.64	23.79
CA-1080-10	10', TRS-80 I, III, 4 PRINTER CABLE	19.70	18.51	28.17
CA-1083-6	6', TRS-80 I, III, 4 TO TSB SWITCH	12.49	11.74	17.86
CA-1083-10	10', TRS-80 I, III, 4 TO TSB SWITCH	15.55	14.61	22.23
CA-1083-15	15', TRS-80 I, III, 4 TO TSB SWITCH	19.36	18.20	27.69

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

TANDY**TRS-80 II, 12, 16**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1090-6	6', TRS-80 II, 12, 16 PRINTER CABLE	18.73	17.60	26.78
CA-1090-10	10', TRS-80 II, 12, 16 PRINTER CABLE	21.79	20.48	31.15
CA-1090-15	15', TRS-80 II, 12, 16 PRINTER CABLE	25.60	24.06	36.61
CA-1093-6	6', TRS-80 CABLE W/TERMINATOR	12.56	11.80	17.95
CA-1093-12	12', TRS-80 CABLE W/TERMINATOR	14.04	13.20	20.08

TELEPHONE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-TELM-6	6', STANDARD M-M TELEPHONE CABLE	2.07	1.95	2.97
CA-TELM-10	10', STANDARD M-M TELEPHONE CABLE	2.74	2.58	3.92
CA-TELM-15	15', STANDARD M-M TELEPHONE CABLE	3.58	3.36	5.12
CA-TELM-25	25', STANDARD M-M TELEPHONE CABLE	5.24	4.93	7.49
CA-TELM-50	50', STANDARD M-M TELEPHONE CABLE	9.39	8.83	13.43

TI**PROFESSIONAL**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1030-6	6', TI PRO. PRINTER CABLE	19.42	18.25	27.77
CA-1030-10	10', TI PRO. PRINTER CABLE	21.95	20.63	31.38
CA-1030-25	25', TI PRO. PRINTER CABLE	31.43	29.54	44.94

WANG**DUAL COAXIAL**

PART #	DESCRIPTION	1-4	5-99	LIST
CA-WDCO-6	6', WANG DUAL COXIAL CABLE	15.71	14.76	22.46
CA-WDCO-10	10', WANG DUAL COXIAL CABLE	17.04	16.01	24.36
CA-WDCO-25	25', WANG DUAL COXIAL CABLE	22.02	20.70	31.50
CA-WDCO-50	50', WANG DUAL COXIAL CABLE	30.34	28.51	43.38

THIS IS JUST A PARTIAL LISTING. IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.
 F - F = FEMALE TO FEMALE, F - M = FEMALE TO MALE, M - M = MALE TO MALE


TO ORDER CALL: (817) 540-0938

PRICING ON
 LARGER QUANTITIES
 AVAILABLE UPON
 REQUEST

ARRICK
 COMPUTER PRODUCTS

Desk Top Printer Stands

- Heavy Duty Metal Construction.
- Slotted for Bottom-Feed Printers.
- Rubber Feet to Protect Surfaces and Reduce Noise.
- Models for 80 and 132 Column Printers.
- Popular Putty Color.



MODEL	DESCRIPTION	1-4	5-99	LIST
PS-80	80 Column Desktop Printer Stand	17.50	15.00	24.95
PS-132	132 Column Desktop Printer Stand	21.00	18.00	29.95

Disk-O-Tel® 5" Diskette Organizer




- Organizes 108 5 inch Diskettes.
- Revolves for Easy Access to All Diskettes.
- Elevated Model Doesn't Consume Desk Space.
- Desktop Models are Stackable.

MODEL	DESCRIPTION	1-4	5-99	LIST
DISK-O-TEL	Desktop Disk Organizer	35.00	30.00	49.95
DISK-O-TEL-E	Elevated Disk Organizer	42.00	36.00	59.95

Apple II Computer Stand

- Holds 2 Disk Drives and Monitor.
- Heavy Duty Metal Construction.
- Rubber Feet to Protect Desktop.
- Putty Color.




MODEL	DESCRIPTION	1-4	5-99	LIST
AS-II	Apple II Computer Stand	28.00	24.00	39.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS



ARRICK

COMPUTER PRODUCTS

1117 Royal Parkway • Euless, Texas 76039

Bulk Rate
U.S. POSTAGE
PAID
Hurst, Texas
Permit No. 164

PAT BLACK
804 WADE
BED FORD TX 76021