


ARRICK

COMPUTER PRODUCTS

1986
COMPUTER DEALER CATALOG



- OVER 110 MANUAL SWITCHES
- AUTOMATIC SWITCHES
- CUSTOM SWITCHES
- POWER STRIPS
- SURGE PROTECTORS
- PRINTER CABLES
- TERMINAL, MODEM CABLES
- CUSTOM CABLES
- BULK CABLE AND CONNECTORS
- PRINTER STANDS

(817) 540-0938

Our Policy ...

Arrick Computer Products has been manufacturing quality computer related equipment in the U.S.A. since 1980. Our extensive line of switch boxes, power centers, and cables for all types of computers is unsurpassed in the industry. Competitive prices, outstanding quality and flexible policies will make you a satisfied customer.

HOW TO ORDER:

To place orders by phone, call (817) 540-0938 during normal business hours. Having our catalog numbers available will speed the ordering process. Confirming purchasing orders are not required. To order by mail send purchase order to:

Arrick Computer Products
Sales Department
P. O. Box 1406
Hurst, Texas 76053

WARRANTY:

Products in this catalog carry a one (1) year limited warranty. The implied warranties are limited to defects in workmanship and material only. Arrick Computer Products will repair or replace any product found to be defective, providing the product has not been mishandled, misused or altered in any way. ARRICK COMPUTER PRODUCTS and our dealers assume no other liability for loss or expense arising in the use of our products. Custom products may not be returned or exchanged.

SHIPPING:

Most items are shipped via UPS. Next day and 2nd day service is also available. Let us know your preference.

PRICES:


Prices vary with quantity purchased and are subject to change without notice. Most items can be bought in large quantity and have the shipments scheduled over a number of months in order to take advantage of quantity discounts.

PAYMENTS:


All orders are sent C.O.D. with shipping charges added to C.O.D. amount. Company checks are acceptable on shipments under \$1,000.00. Larger shipments require a certified check.

TABLE OF CONTENTS

POWER CENTERS PAGES 4-5



MANUAL SWITCHES PAGE 6-19



CONNECTORS AND CABLE PAGES 20, 21



STANDS AND ACCESSORIES PAGE 21



CABLE ASSEMBLIES PAGES 22-30



AUTOMATIC SWITCHES PAGE 31




POWER CENTERS	4
ABOUT THE QUICK-SWITCH	6
QUICK-SWITCH APPLICATIONS	7
QUICK-SWITCH TYPES	8
QUICK-SWITCHES	
RS-232 (SERIAL)	9
CENTRONICS (PARALLEL)	10
RS-449	11
IEEE-488	11
CIRCULAR DIN	12
DE9 CONNECTORS	13
DA15 CONNECTORS	13
PC KEYBOARD/MONITOR	14
RJ-11, RJ-45	15
UTILITY	15
BNC COAXIAL	16
TNC COAXIAL	16
IBM TWIN AXIAL	17
WANG DUAL COAXIAL	17
V.35	18
50 PIN M-BLOCK	18
DD50 CONNECTORS	19
50 PIN RIBBON CONNECTORS	19
CONNECTORS	20
CABLE	21
STANDS AND ACCESSORIES	22
CABLE ASSEMBLIES IN ALPHABETICAL ORDER	23
AUTOMATIC SWITCHES	31

POWER CENTERS

ALL POWER CENTERS INCLUDE:

- SURGE PROTECTION.
- NOISE FILTER.
- 6 FOOT POWER CORD.
- 15 AMP CIRCUIT BREAKER PROTECTION.

PC-7




Control your computer and peripherals at the touch of a switch. The PC-7 fits under the monitor of most desktop computers and has 6 individually controlled outlets. No more reaching behind equipment in search of hidden power switches. Protects equipment from harmful voltage surges, filter suppresses EMI/RFI noise and a circuit breaker protects against overloads. Convenience and protection at a reasonable price.

1 3/4" HEIGHT, 15" WIDTH, 13" DEPTH

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PC-7	Under Monitor Power Center	69.00	64.00	59.00	54.00	99.95

PC-3

- Control of computer and peripherals at the touch of a finger.
- Eliminate reaching behind equipment for power switches.
- 4 individually controlled outlets.
- Convenient desktop design.
- Protects equipment against damaging voltage spikes.
- Filter suppressed EMI/RFI noise.
- 3" height, 6" width, 5" depth.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PC-3	Desktop Power Center	63.00	58.50	54.00	49.50	89.55

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


POWER CENTERS

ALL POWER CENTERS INCLUDE:

- SURGE PROTECTION.
- NOISE FILTER.
- 6 FOOT POWER CORD.
- 15 AMP CIRCUIT BREAKER PROTECTION.


PC-4

- Master switch controls 6 outlets.
- Circuit breaker protects against overloads.
- 6 foot power cord.
- Protects equipment against damaging voltage spikes.
- Filter suppresses EMI/RFI noise.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PC-4	6 Outlet Power Center	42.00	39.00	36.00	33.00	59.95

PC-6




- Surge protection protects against voltage spikes.
- Filter suppresses EMI/RFI noise.
- Circuit breaker protection
- 6 foot power cord.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PC-6	Basic Power Center	21.00	19.50	18.00	16.50	29.95

PC-5

The PC-5 has all the surge protection, noise filtration and circuit breaker protection of the other Power Centers PLUS the convenience of "AUTO-ON." Just plug your monitor into the master outlet and the other equipment into the remaining outlets. When the monitor is turned on, all of the other devices will automatically turn on. All equipment can also be manually turned on with the master power switch.

2½" HEIGHT, 3¼" WIDTH, 6" DEPTH




MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PC-5	Auto-On Power Center	87.50	81.25	75.00	68.75	125.00

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

About the QUICK-SWITCH



- CONNECT AND DISCONNECT COMPUTERS AND THEIR COMPONENTS AT THE FLIP OF A SWITCH.
- ELIMINATE CONNECTOR WEAR CAUSED BY PLUGGING AND UNPLUGGING CABLES.
- ORGANIZE MESSY CABLES.
- MODELS COMPATIBLE WITH VIRTUALLY ALL COMPUTERS, PRINTERS, TERMINALS AND MODEMS.
- ATTRACTIVE ALL METAL DESIGN.

WHAT IS A QUICK-SWITCH

The QUICK-SWITCH allows the connection and disconnection of computers and computer devices with just a flip of a switch, without plugging and unplugging cables. Direction of the data is determined by the position of the switch. For example, position A would direct the output of your computer to a letter quality printer and position B would direct the output to a high speed printer. Several computers could use the same printer or a terminal could use several different computers - - the applications are unlimited.

WHAT SYSTEMS CAN USE A QUICK-SWITCH

All system configurations that require the operator to manually switch cables, systems where there are not enough I/O ports to support all the printers or terminals needed, systems where one terminal is required to communicate with several computers and many more.


HOW TO CHOOSE A QUICK-SWITCH

To choose a QUICK-SWITCH for your application, decide on the number of positions needed by referring to the examples on page 7, then determine the type of interface by selecting the connector type from the chart on page 8. The chart will tell you which page to find that particular switch and the page that cables can be found for that switch.


HOW TO INSTALL A QUICK-SWITCH

Installation is as simple as connecting the cables to the switch and to the devices being used. No power is required. The QUICK-SWITCH can be set on top of a terminal, next to a printer or anywhere it is easily accessible to the user.


APPLICATIONS




ALLOWS USE OF 2 PRINTERS
WITH ONE COMPUTER.




2 TERMINALS CAN SHARE
ONE PORT ON A COMPUTER.



BOTH COMPUTERS HAVE ACCESS TO
EITHER PRINTER.




THIS COMPUTER IS USED BY THE
TERMINAL DURING THE DAY AND
SWITCHED TO THE MODEM TO BE USED
BY AN OFFSITE TERMINAL
DURING THE NIGHT.



SAVE MONEY ON PRINTERS, 5 COMPUTERS SHARE ONE PRINTER.

QUICK-SWITCH types



CONNECTOR	# OF	CABLES ON PAGE	SWITCH ON PAGE	SERIES	USED WITH
	25	28-30	9	ESB	RS-232 (Serial) Interfaces
	36	25	10	CSB	Centronics (Parallel) Interfaces
	37	26	11	3SB	RS-449, Others
	24	Call	11	ISB	IEEE-488 Interfaces
	3-6	25	12	DSB	Commodor, TRS-80, IBM, Others
	9	27	13	9SB	RS-449, Atari, Others
	15	26	13	1SB	NCR, TI, IBM, Others
	5, 9	25, 27	14	PSB	IBM, Other PC's
	4, 8	Call	15	RSB	Telephone, Dataphone
	4	Call	15	USB	Utility
	2	26	16	BSB	BNC Coaxial
	2	Call	16	ASB	TNC Coaxial
	4	30	17	WSB	Wang Dual Coaxial
	3	30	17	XSB	IBM Twinaxial
	34	Call	18	VSB	V.35 Interfaces
	50	Call	18	MSB	Data Products, Dec, others
	50	26	19	5SB	Data Products, Data Point, others
	50	Call	19	LSB	Phone, Datapoint, Others

RACK MOUNT QUICK-SWITCHES

All Quick-Switches can be ordered in rack mount configuration.

CUSTOM QUICK-SWITCHES

If you have a need for a switch that is not in our catalog, give us a call, we can make custom switches in small or large quantities. We can even put your company's logo on a switch.

ESB SERIES QUICK-SWITCH



TYPE: RS-232 (Serial).

USED WITH: Virtually all devices with the industry standard RS-232 (Serial) interface.

CONNECTORS: Female, 25 pin, DB25S.

STANDARD SWITCHES

(USED WHEN ONLY 12 OF THE MOST POPULAR
LINES NEED TO BE SWITCHED – 2-8, 11, 15, 17, 20, 22.)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2000	RS-232, 2 position, 12 lines switched	53.20	49.40	45.60	41.80	75.95
ESB-3000	RS-232, 3 position, 12 lines switched	60.20	55.90	51.60	47.30	85.95
ESB-4000	RS-232, 4 position, 12 lines switched	70.00	65.00	60.00	55.00	99.95
ESB-5000	RS-232, 5 position, 12 lines switched	74.20	68.90	63.60	58.30	105.95
ESB-6000	RS-232, 6 position, 12 lines switched	88.20	81.90	75.60	69.30	125.95
ESB-X	RS-232, cross over, 12 lines switched	63.00	58.50	54.00	49.50	89.95

SPECIAL SWITCHES

(USED WHEN 24 LINES
NEED TO BE SWITCHED.)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2100	RS-232, 2 position, 24 lines switched	63.00	58.50	54.00	49.50	89.95
ESB-3100	RS-232, 3 position, 24 lines switched	74.20	68.90	63.60	58.30	105.95
ESB-4100	RS-232, 4 position, 24 lines switched	91.00	84.50	78.00	71.50	129.95
ESB-5100	RS-232, 5 position, 24 lines switched	98.00	91.00	84.00	77.00	139.95
ESB-X1	RS-232, cross over, 24 lines switched	84.00	78.00	72.00	66.00	119.95


RS-232 CABLES FOR THE ESB SERIES QUICK-SWITCH
CAN BE FOUND ON PAGES 28-30.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CSB SERIES QUICK-SWITCH




TYPE: Centronics (Parallel).

USED WITH: Virtually all devices with the industry standard Centronics (Parallel) interface.

CONNECTORS: Female, 36 pin, Amphenol 57-40360.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
CSB-2000	Centronics, 2 position switch	67.20	62.40	57.60	52.80	95.95
CSB-3000	Centronics, 3 position switch	74.20	68.90	63.60	58.30	105.95
CSB-4000	Centronics, 4 position switch	88.20	81.90	75.60	69.30	125.95
CSB-5000	Centronics, 5 position switch	95.20	88.40	81.60	74.80	135.95
CSB-X	Centronics, cross over switch	81.20	75.40	69.60	63.80	115.95

Applications with the IBM PC.



CENTRONICS CABLES FOR THE CSB SERIES QUICK-SWITCH
CAN BE FOUND ON PAGE 25

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


3SB SERIES QUICK-SWITCH



TYPE: RS-449

USED WITH: Devices using 37 pin D-SUB connectors.

CONNECTORS: Female, 37 pin, DC37S



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
3SB-2000	2 position, RS-449, 36 line switch	91.00	84.50	78.00	71.50	129.95
*3SB-3000	3 position, RS-449, 24 line switch	95.20	88.40	81.60	74.80	135.95
*3SB-4000	4 position, RS-449, 24 line switch	112.00	104.00	96.00	88.00	159.95
*3SB-5000	5 position, RS-449, 24 line switch	123.20	114.40	105.60	96.80	175.95
*3SB-X	Cross over, RS-449, 24 line switch	102.20	94.90	87.60	80.30	145.95

*24 Lines Switched

CABLES FOR THE 3SB SERIES QUICK SWITCH
CAN BE FOUND ON PAGE 26.


ISB SERIES QUICK-SWITCH



TYPE: IEEE-488

USED WITH: Devices using IEEE-488 interface.

CONNECTORS: Female, 24 pin ribbon.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ISB-2000	2 position, IEEE-488 switch	88.20	81.90	75.60	69.30	125.95
ISB-3000	3 position, IEEE-488 switch	105.00	97.50	90.00	82.50	149.95
ISB-4000	4 position, IEEE-488 switch	126.00	117.00	108.00	99.00	179.95
ISB-5000	5 position, IEEE-488 switch	140.00	130.00	120.00	110.00	199.95
ISB-X	Cross over, IEEE-488 switch	115.99	107.71	99.42	91.14	165.65

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


DSB SERIES QUICK-SWITCH



TYPE: Circular DIN

USED WITH: Commodore, TRS-80, IBM, EPSON and others.

CONNECTORS: 3, 4, 5 and 6 Pin Female Circular DIN.




MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
3 PIN						
DSB-2300	2 position, 3 pin DIN switch	42.00	39.00	36.00	33.00	59.95
DSB-3300	3 position, 3 pin DIN switch	46.20	42.90	39.60	36.30	65.95
DSB-4300	4 position, 3 pin DIN switch	49.00	45.50	42.00	38.50	69.95
DSB-5300	5 position, 3 pin DIN switch	53.20	49.40	45.60	41.80	75.95
DSB-X3	Cross over, 3 pin DIN switch	49.00	45.50	42.00	38.50	69.95
4 PIN						
DSB-2400	2 position, 4 pin DIN switch	42.00	39.00	36.00	33.00	59.95
DSB-3400	3 position, 4 pin DIN switch	46.20	42.90	39.60	36.30	65.95
DSB-4400	4 position, 4 pin DIN switch	49.00	45.50	42.00	38.50	69.95
DSB-5400	5 position, 4 pin DIN switch	53.20	49.40	45.60	41.80	75.95
DSB-X4	Cross over, 4 pin DIN switch	49.00	45.50	42.00	38.50	69.95
5 PIN						
DSB-2500	2 position, 5 pin DIN switch	42.00	39.00	36.00	33.00	59.95
DSB-3500	3 position, 5 pin DIN switch	46.20	42.90	39.60	36.30	65.95
DSB-4500	4 position, 5 pin DIN switch	49.00	45.50	42.00	38.50	69.95
DSB-5500	5 position, 5 pin DIN switch	53.20	49.40	45.60	41.80	75.95
DSB-X5	Cross over, 5 pin DIN switch	49.00	45.50	42.00	38.50	69.95
6 PIN						
DSB-2600	2 position, 6 pin DIN switch	42.00	39.00	36.00	33.00	59.95
DSB-3600	3 position, 6 pin DIN switch	46.20	42.90	39.60	36.30	65.95
DSB-4600	4 position, 6 pin DIN switch	49.00	45.50	42.00	38.50	69.95
DSB-5600	5 position, 6 pin DIN switch	53.20	49.40	45.60	41.80	75.95
DSB-X6	Cross over, 6 pin DIN switch	49.00	45.50	42.00	38.50	69.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

9SB SERIES QUICK-SWITCH



TYPE: DE9

USED WITH: Devices using 9 pin D-Sub connectors such as Apple and Atari.

CONNECTORS: • Female, 9 pin, DE9S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
9SB-2000	2 position, DE 9 switch	53.20	49.40	45.60	41.80	75.95
9SB-3000	3 position, DE 9 switch	60.20	55.40	51.60	47.30	85.95
9SB-4000	4 position, DE 9 switch	67.20	62.40	57.60	52.80	95.95
9SB-5000	5 position, DE 9 switch	70.00	65.00	60.00	55.00	99.95
9SB-X	Cross over, DE 9 switch	63.00	58.50	54.00	49.50	89.95

CABLES FOR THE 9SB SERIES QUICK SWITCH
CAN BE FOUND ON PAGE 27.

1SB SERIES QUICK-SWITCH



TYPE: DA15

USED WITH: Devices using 15 pin D-Sub connectors such as Altos and Atari.

CONNECTORS: Female, 15 pin, DA 15S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
1SB-2000	2 position, DA 15 switch	63.00	58.50	54.00	49.50	89.95
1SB-3000	3 position, DA 15 switch	70.00	65.00	60.00	55.00	99.95
1SB-4000	4 position, DA 15 switch	81.20	75.40	69.60	63.80	115.95
1SB-5000	5 position, DA 15 switch	88.20	81.90	75.60	69.30	125.95
1SB-X	Cross over, DA 15 switch	74.20	68.90	63.60	58.30	105.95

CABLES FOR THE 1SB SERIES QUICK SWITCH
CAN BE FOUND ON PAGE 26.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

PSB SERIES QUICK-SWITCH



TYPE: Keyboard/Monitor


USED WITH: IBM PC and Look-Alikes.

CONNECTORS: 5 Pin Circular Din and Female, 9 Pin, DE9.




MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
PSB-2000	2 position, KYBD/Monitor Switch	63.00	58.50	54.00	49.50	89.95
PSB-3000	3 position, KYBD/Monitor Switch	70.00	65.00	60.00	55.00	99.95
PSB-4000	4 position, KYBD/Monitor Switch	84.00	78.00	72.00	66.00	119.95
PSB-5000	5 position, KYBD/Monitor Switch	91.00	84.50	78.00	71.50	129.95

APPLICATIONS:



ONE STATION CAN
USE EITHER COMPUTER

ONE COMPUTER CAN BE SHARED
WITH 3 STATIONS.



TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


RSB SERIES QUICK-SWITCH



TYPE: RJ-11, RJ-45.

USED WITH: Telephone, data phone.

CONNECTORS: Female RJ-11, Female RJ-45.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
RSB-2110	2 position, RJ-11 switch	49.50	45.50	42.00	38.50	69.95
RSB-3110	3 position, RJ-11 switch	53.20	49.40	45.60	41.80	75.95
RSB-4110	4 position, RJ-11 switch	60.20	55.90	51.60	47.30	85.95
RSB-5110	5 position, RJ-11 switch	63.00	58.50	54.00	49.50	89.95
RSB-X110	Cross over, RJ-11 switch	56.00	52.00	48.00	44.00	79.95
RSB-2450	2 position, RJ-45 switch	56.00	52.00	48.00	44.00	79.95
RSB-3450	3 position, RJ-45 switch	60.20	55.90	51.60	47.50	85.95
RSB-4450	4 position, RJ-45 switch	67.20	62.40	57.60	52.80	95.95
RSB-5450	5 position, RJ-45 switch	74.20	68.90	63.60	58.30	105.95
RSB-X450	Cross over, RJ-45 switch	63.00	58.50	54.00	49.50	89.95


USB SERIES QUICK-SWITCH



TYPE: Utility

USED WITH: Miscellaneous, 4 wire applications.

CONNECTORS: 4 screw terminal block.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
USB-2000	2 position, utility switch	56.00	52.00	48.00	44.00	79.95
USB-3000	3 position, utility switch	60.20	55.90	51.60	47.30	85.95
USB-4000	4 position, utility switch	70.00	65.00	60.00	55.00	99.95
USB-5000	5 position, utility switch	77.00	71.50	66.00	60.50	109.95
USB-X	Cross over, utility switch	63.00	58.50	54.00	49.50	89.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS


BSB SERIES QUICK-SWITCH



TYPE: BNC Coaxial

USED WITH: Devices using BNC connectors.

CONNECTORS: Female BNC.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
BSB-2000	2 position, BNC Coax switch	42.00	39.00	36.00	33.00	59.95
BSB-3000	3 position, BNC Coax switch	46.20	42.90	39.60	36.30	65.95
BSB-4000	4 position, BNC Coax switch	49.00	45.50	42.00	38.50	69.95
BSB-5000	5 position, BNC Coax switch	53.20	49.40	45.60	41.80	75.95
BSB-X	Cross over, BNC Coax switch	46.20	42.90	39.60	36.30	65.95

CABLES FOR THE BSB SERIES QUICK-SWITCH CAN BE FOUND ON PAGE 26.


ASB SERIES QUICK-SWITCH



TYPE: TNC Coaxial.

USED WITH: Device using TNC connectors.

CONNECTORS: Female TNC.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ASB-2000	2 position, TNC Coax switch	42.00	39.00	36.00	33.00	59.95
ASB-3000	3 position, TNC Coax switch	46.20	42.90	39.60	36.30	65.95
ASB-4000	4 position, TNC Coax switch	49.00	45.50	42.00	38.50	69.95
ASB-5000	5 position, TNC Coax switch	53.20	49.40	45.60	41.80	75.95
ASB-X	Cross over, TNC Coax switch	46.20	42.90	39.60	36.30	65.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

XSB SERIES QUICK-SWITCH



TYPE: Twinaxial

USED WITH: IBM System 34, 36, 38 and other twinaxial interfaces.

CONNECTORS: Female twinaxial.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
XSB-2000	2 position, twinaxial switch	88.20	81.90	75.60	69.30	125.95
XSB-3000	3 position, twinaxial switch	105.00	97.50	90.00	82.50	149.95
XSB-4000	4 position, twinaxial switch	123.20	114.40	105.60	96.80	175.95
XSB-5000	5 position, twinaxial switch	140.00	130.00	120.00	110.00	199.95
XSB-X	Crossover, twinaxial switch	105.00	97.50	90.00	82.50	149.95

CABLES FOR THE XSB SERIES QUICK-SWITCH CAN BE FOUND ON PAGE 30.


WSB SERIES QUICK-SWITCH



TYPE: Wang

USED WITH: Wang Dual Coax Interface.

CONNECTORS: Female BNC and TNC coax.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
WSB-2000	2 position, Wang Dual Coax switch	53.20	49.40	45.60	41.80	75.95
WSB-3000	3 position, Wang Dual Coax switch	56.00	52.00	48.00	44.00	79.95
WSB-4000	4 position, Wang Dual Coax switch	63.00	58.50	54.00	49.50	89.95
WSB-5000	5 position, Wang Dual Coax switch	70.00	65.00	60.00	55.00	99.95
WSB-X	Cross over, Wang Dual Coax switch	60.20	55.90	51.60	47.30	85.95


CABLES FOR THE WSB SERIES QUICK-SWITCH CAN BE FOUND ON PAGE 30.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

VSB SERIES QUICK-SWITCH




TYPE: V.35

USED WITH: Devices using the V.35 interface.


CONNECTORS: Female, 34 pin block connector.

LINE S SWITCHED: A-F, P, R-Y, AA



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
VSB-2000	2 position, V.35 switch	137.20	127.40	117.60	107.80	195.95
VSB-3000	3 position, V.35 switch	172.20	159.90	147.60	135.30	245.95
VSB-X	Cross over, V.35 switch	179.20	166.40	153.60	140.80	255.95

MSB SERIES QUICK-SWITCH




TYPE: M/50

USED WITH: Data Products, Dec, others.

CONNECTORS: Female, 50 pin block connector.

LINES SWITCHED: Customer must specify.




MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
MSB-2000	2 position, M/50, 48 line switch	154.00	143.00	132.00	121.00	219.95
MSB-3000	3 position, M/50, 24 line switch	175.00	162.50	150.00	137.50	249.95
MSB-X	Cross over, M/50, 24 line switch	182.00	169.00	156.00	143.00	259.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

5SB SERIES QUICK-SWITCH



TYPE: DD50

USED WITH: Data Products and other devices that use 50 pin D-sub connectors.


CONNECTORS: 50 pin female D-Sub. DD50S.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
5SB-2000	2 position, DD50, 48 line switch	109.20	101.40	93.60	85.80	155.95
5SB-3000	3 position, DD50, 24 line switch	102.20	94.90	87.60	80.30	145.95
5SB-4000	4 position, DD50, 24 line switch	123.20	114.40	105.60	96.80	175.95
5SB-5000	5 position, DD50, 24 line switch	137.20	127.40	117.60	107.80	195.95
5SB-X	Cross over, DD50, 24 line switch	112.00	104.00	96.00	88.00	159.95

Customer must specify pins to be switched.

CABLES FOR THE 5SB SERIES QUICK-SWITCH CAN BE FOUND ON PAGE 26.

LSB SERIES QUICK-SWITCH



TYPE: TELCO

USED WITH: Multiline phone systems.

CONNECTORS: Female 50 pin telco type.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
LSB-2000	2 position, Telco, 48 line switch	130.20	120.90	111.60	102.30	185.95
LSB-3000	3 position, Telco, 24 line switch	130.20	120.90	111.60	102.30	185.95
LSB-4000	4 position, Telco, 24 line switch	158.20	146.90	135.60	124.30	225.95
LSB-5000	5 position, Telco, 24 line switch	175.00	162.50	150.00	137.50	249.95
LSB-X	Cross over, Telco, 24 line switch	137.20	127.40	117.60	107.80	195.95


Customer must specify pins to be switched.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CONNECTORS

	DESCRIPTION	PART #	1-9	10-UP
	25 PIN MALE RS-232 WITH SOLDER PINS.	DB25P	1.67	1.54
	25 PIN FEMALE RS-232 WITH SOLDER PINS.	DB25S	1.67	1.54
	25 PIN MALE RS-232 CONNECTOR FOR FLAT CABLE	DB25P-F	4.18	3.85
	25 PIN FEMALE RS-232 CONNECTOR FOR FLAT CABLE	DB25S-F	4.18	3.85
	RS-232 PLASTIC HOOD WITH SCREWS	DB25H	.92	.85
	JACK SOCKETS TO MOUNT CONNECTORS TO PANELS. SET OF TWO	D-20418-2	.50	.46
	MALE 36 PIN CENTRONICS CONNECTOR WITH HOOD. SOLDER PINS.	57-30360	3.34	3.08
	AS ABOVE, FEMALE.	57-60360	3.34	3.08
	MALE 36 PIN CENTRONICS CONNECTOR FOR FLAT CABLE.	57-30360-F	4.18	3.85
	MALE IBM TWINAXIAL CONNECTOR.	7362229	11.69	10.78
	FEMALE TO FEMALE TWINAXIAL ADAPTER.	73622320	16.70	15.40
	RS-232 CONNECTOR WALL PLATE. MOUNTS TO STANDARD ELECTRICAL BOX. ONE CUTOUT	WP-1	3.34	3.08
	AS ABOVE, TWO CUTOUTS	WP-2	5.85	5.39
	16 CUTOUT PATCH PANEL FOR RS-232 CONNECTORS, MOUNTS IN STANDARD 19" RACK.	PP-16	25.00	21.00

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CABLE



DESCRIPTION	PART #	PRICE PER FOOT
4 CONDUCTOR UNSHIELDED CABLE	C-4	.09
4 CONDUCTOR SHIELDED CABLE	C-4S	.15
4 CONDUCTOR SHIELDED PLENUM CABLE	C-4SP	.57
12 CONDUCTOR UNSHIELDED CABLE	C-12	.25
12 CONDUCTOR SHIELDED CABLE	C-12S	.33
25 CONDUCTOR SHIELDED CABLE	C-25S	.58
50 CONDUCTOR SHIELDED CABLE	C-50S	1.37
RG-59 COAXIAL CABLE	RG-59	.09
RG-62 COAXIAL CABLE	RG-62	.11
TWINAXIAL	C-TA	.31
WANG DUAL COAXIAL	C-DC	.30
25 CONDUCTOR FLAT CABLE	C-25F	.57
36 CONDUCTOR FLAT CABLE	C-36F	.69

SPECIFY LENGTH WHEN ORDERING


TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

Desk Top Printer Stands

- Heavy Duty Metal Construction.
- Slotted for Bottom-Feed Printers.
- Rubber Feet to Protect Surfaces and Reduce Noise.
- Models for 80 and 132 Column Printers.
- Popular Putty Color.



MODEL	DESCRIPTION	1-4	5-99	LIST
PS-80	80 Column Desktop Printer Stand	17.50	15.00	24.95
PS-132	132 Column Desktop Printer Stand	21.00	18.00	29.95

Disk-O-Tel[®] 5" Diskette Organizer




- Organizes 108 5 inch Diskettes.
- Revolves for Easy Access to All Diskettes.
- Organizers are Stackable.

MODEL	DESCRIPTION	1-4	5-99	LIST
DISK-O-TEL	Desktop Disk Organizer	35.00	30.00	49.95

Apple II Computer Stand

- Holds 2 Disk Drives and Monitor.
- Heavy Duty Metal Construction.
- Rubber Feet to Protect Desktop.
- Putty Color.




MODEL	DESCRIPTION	1-4	5-99	LIST
AS-II	Apple II Computer Stand	28.00	24.00	39.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST


ARRICK
COMPUTER PRODUCTS

CABLE ASSEMBLIES



- QUALITY COMPUTER CABLE ASSEMBLIES.
- CAN BE PACKAGED FOR RETAIL SALE.
- LABELED FOR POSITIVE IDENTIFICATION.
- SHIELDED CABLES HELP COMPUTER INSTALLATIONS MEET FCC REQUIREMENTS.
- LISTED IN ALPHABETICAL ORDER BY MANUFACTURER, MODEL #.
- CUSTOM CABLES AVAILABLE.

CABLE ASSEMBLY PART NUMBERS.



THIS IS JUST A PARTIAL LIST,
IF YOU DON'T FIND THE CABLE YOU NEED, GIVE US A CALL.

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

ALTOS

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1200-6	6'	ALTOS PARALLEL PRINTER CABLE	18.34	17.03	26.23
CA-1200-10	10'	ALTOS PARALLEL PRINTER CABLE	19.73	18.32	28.21
CA-1200-25	25'	ALTOS PARALLEL PRINTER CABLE	24.93	23.15	35.65

APPLE - II

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1140-6	6'	CABLE FOR APL OR EPSON CARD	13.75	12.77	19.67
CA-1140-10	10'	CABLE FOR APL OR EPSON CARD	16.37	15.20	23.41
CA-1143-6	6'	CABLE FOR PROMETHEUS CARD	14.23	13.21	20.35
CA-1143-10	10'	CABLE FOR PROMETHEUS CARD	16.85	15.64	24.09

APPLE - III

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1190-6	6'	APPLE III PARALLEL PRNTR CBL	13.72	12.74	19.62
CA-1190-10	10'	APPLE III PARALLEL PRNTR CBL	15.11	14.03	21.60
CA-1193-6	6'	APPLE III SERIAL PRINTER CBL	8.24	7.65	11.78
CA-1193-10	10'	APPLE III SERIAL PRINTER CBL	8.67	8.05	12.40
CA-1193-25	25'	APPLE III SERIAL PRINTER CBL	10.24	9.51	14.64
CA-1194-6	6'	APPLE III UPIC PRINTER CABLE	14.23	13.21	20.35
CA-1194-10	10'	APPLE III UPIC PRINTER CABLE	16.85	15.64	24.09

APPLE - IIc

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1145-6	6'	APPLE IIc TO APPLE MODEM CBL	7.02	6.52	10.04
CA-1145-10	10'	APPLE IIc TO APPLE MODEM CBL	7.55	7.01	10.79
CA-1146-6	6'	APPLE IIc SERIAL PRINTER CBL	6.36	5.91	9.10
CA-1146-10	10'	APPLE IIc SERIAL PRINTER CBL	6.87	6.38	9.82
CA-1146-25	25'	APPLE IIc SERIAL PRINTER CBL	8.82	8.19	12.62

APPLE - MACINTOSH

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1231-6	6'	MACINTOSH MODEM CABLE	9.49	8.81	13.57
CA-1231-10	10'	MACINTOSH MODEM CABLE	9.92	9.21	14.18
CA-1233-6	6'	MACINTOSH SERIAL PRINTER CBL	9.49	8.81	13.57
CA-1233-10	10'	MACINTOSH SERIAL PRINTER CBL	9.92	9.21	14.18
CA-1233-25	25'	MACINTOSH SERIAL PRINTER CBL	11.49	10.67	16.43
CA-1233-50	50'	MACINTOSH SERIAL PRINTER CBL	14.11	13.10	20.17

ATARI - 850

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1241-6	6'	ATARI 850 PARALLEL CABLE	15.46	14.36	22.11
CA-1241-10	10'	ATARI 850 PARALLEL CABLE	17.62	16.36	25.19

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

CENTRONICS

PART #		DESCRIPTION	1-4	5-99	LIST
CA-C25M-6	6'	CENTRONICS, M-M CABLE	15.17	14.09	21.69
CA-C25M-10	10'	CENTRONICS, M-M CABLE	17.33	16.09	24.77
CA-C25M-15	15'	CENTRONICS, M-M CABLE	20.02	18.59	28.63
CA-C25M-25	25'	CENTRONICS, M-M CABLE	25.41	23.60	36.34
CA-C25M-50	50'	CENTRONICS, M-M CABLE	38.89	36.11	55.61
CA-C25M-75	75'	CENTRONICS, M-M CABLE	52.36	48.62	74.87
CA-C25M-100	100'	CENTRONICS, M-M CABLE	65.84	61.13	94.14
CA-C25X-6	6'	CENTRONICS, M-F CABLE	15.17	14.09	21.69
CA-C25X-10	10'	CENTRONICS, M-F CABLE	17.33	16.09	24.77
CA-C25X-15	15'	CENTRONICS, M-F CABLE	20.02	18.59	28.63
CA-C25X-25	25'	CENTRONICS, M-F CABLE	25.41	23.60	36.34
CA-C25X-50	50'	CENTRONICS, M-F CABLE	38.89	36.11	55.61
CA-C25X-75	75'	CENTRONICS, M-F CABLE	52.36	48.62	74.87
CA-C25X-100	100'	CENTRONICS, M-F CABLE	65.84	61.13	94.14

CENTRONICS - FLAT

PART #		DESCRIPTION	1-4	5-99	LIST
CA-CFLF-1	1'	CENTRONICS FLAT, F-F CABLE	14.37	13.34	20.55
CA-CFLM-1	1'	CENTRONICS FLAT, M-M CABLE	14.37	13.34	20.55
CA-CFLM-6	6'	CENTRONICS FLAT, M-M CABLE	18.79	17.45	26.87
CA-CFLM-10	10'	CENTRONICS FLAT, M-M CABLE	22.33	20.74	31.93
CA-CFLX-1	1'	CENTRONICS FLAT, F-M CABLE	14.37	13.34	20.55
CA-CFLX-6	6'	CENTRONICS FLAT, F-M CABLE	18.79	17.45	26.87
CA-CFLX-10	10'	CENTRONICS FLAT, F-M CABLE	22.33	20.74	31.93

CIRCULAR DIN - 3 PIN

PART #		DESCRIPTION	1-4	5-99	LIST
CA-CD3M-6	6'	M-M, 3 PIN CIRCULAR DIN CABLE	3.33	3.09	4.76
CA-CD3M-10	10'	M-M, 3 PIN CIRCULAR DIN CABLE	3.76	3.49	5.37
CA-CD3M-15	15'	M-M, 3 PIN CIRCULAR DIN CABLE	4.28	3.98	6.12

CIRCULAR DIN - 4 PIN

PART #		DESCRIPTION	1-4	5-99	LIST
CA-CD4M-6	6'	M-M, 4 PIN CIRCULAR DIN CABLE	3.67	3.40	5.24
CA-CD4M-10	10'	M-M, 4 PIN CIRCULAR DIN CABLE	4.17	3.88	5.97
CA-CD4M-15	15'	M-M, 4 PIN CIRCULAR DIN CABLE	4.84	4.49	6.91

CIRCULAR DIN - 5 PIN

PART #		DESCRIPTION	1-4	5-99	LIST
CA-CD5M-6	6'	M-M, 5 PIN CIRCULAR DIN CABLE	3.85	3.58	5.51
CA-CD5M-10	10'	M-M, 5 PIN CIRCULAR DIN CABLE	4.37	4.06	6.25
CA-CD5M-15	15'	M-M, 5 PIN CIRCULAR DIN CABLE	5.02	4.66	7.18

CIRCULAR DIN - 6 PIN

PART #		DESCRIPTION	1-4	5-99	LIST
CA-CD6M-6	6'	M-M, 6 PIN CIRCULAR DIN CABLE	5.13	4.76	7.33
CA-CD6M-10	10'	M-M, 6 PIN CIRCULAR DIN CABLE	6.22	5.78	8.90
CA-CD6M-15	15'	M-M, 6 PIN CIRCULAR DIN CABLE	7.59	7.05	10.86

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

COAX - BNC

PART #		DESCRIPTION	1-4	5-99	LIST
CA-BNCM-1	1'	BNC COAXIAL M-M CABLE	5.87	5.45	8.39
CA-BNCM-6	6'	BNC COAXIAL M-M CABLE	6.36	5.91	9.10
CA-BNCM-10	10'	BNC COAXIAL M-M CABLE	6.75	6.26	9.65
CA-BNCM-25	25'	BNC COAXIAL M-M CABLE	8.18	7.59	11.69
CA-BNCM-50	50'	BNC COAXIAL M-M CABLE	10.60	9.84	15.15
CA-BNCM-75	75'	BNC COAXIAL M-M CABLE	13.00	12.07	18.59

COLUMBIA - MPC

PART #		DESCRIPTION	1-4	5-99	LIST
CA-1300-6	6'	COLUMBIA PARALLEL PRINTER CBL	18.34	17.03	26.23
CA-1300-10	10'	COLUMBIA PARALLEL PRINTER CBL	19.73	18.32	28.21

DA15 CABLES - UNSHIELDED

PART #		DESCRIPTION	1-4	5-99	LIST
CA-D15M-6	6'	M-M, 15 PIN D-SUB CABLE	14.60	13.56	20.88
CA-D15M-10	10'	M-M, 15 PIN D-SUB CABLE	15.99	14.84	22.86
CA-D15M-15	15'	M-M, 15 PIN D-SUB CABLE	17.71	16.45	25.33
CA-D15M-25	25'	M-M, 15 PIN D-SUB CABLE	21.18	19.66	30.28
CA-D15M-50	50'	M-M, 15 PIN D-SUB CABLE	29.85	27.71	42.68
CA-D15M-75	75'	M-M, 15 PIN D-SUB CABLE	38.50	35.75	55.06
CA-D15M-100	100'	M-M, 15 PIN D-SUB CABLE	47.17	43.80	67.45
CA-D15X-6	6'	F-M, 15 PIN D-SUB CABLE	14.60	13.56	20.88
CA-D15X-10	10'	F-M, 15 PIN D-SUB CABLE	15.99	14.84	22.86
CA-D15X-15	15'	F-M, 15 PIN D-SUB CABLE	17.71	16.45	25.33
CA-D15X-25	25'	F-M, 15 PIN D-SUB CABLE	21.18	19.66	30.28
CA-D15X-50	50'	F-M, 15 PIN D-SUB CABLE	29.85	27.71	42.68
CA-D15X-75	75'	F-M, 15 PIN D-SUB CABLE	38.50	35.75	55.06
CA-D15X-100	100'	F-M, 15 PIN D-SUB CABLE	47.17	43.80	67.45

DC37 CABLES - SHIELDED

PART #		DESCRIPTION	1-4	5-99	LIST
CA-D37M-6	6'	M-M, 37 PIN D-SUB CABLE	30.31	28.14	43.34
CA-D37M-10	10'	M-M, 37 PIN D-SUB CABLE	36.78	34.15	52.59
CA-D37M-15	15'	M-M, 37 PIN D-SUB CABLE	44.86	41.66	64.15
CA-D37M-25	25'	M-M, 37 PIN D-SUB CABLE	61.03	56.67	87.27
CA-D37M-50	50'	M-M, 37 PIN D-SUB CABLE	101.46	94.21	145.08
CA-D37M-75	75'	M-M, 37 PIN D-SUB CABLE	141.88	131.75	202.89
CA-D37M-100	100'	M-M, 37 PIN D-SUB CABLE	182.31	169.28	260.70
CA-D37X-6	6'	F-M, 37 PIN D-SUB CABLE	32.71	30.37	46.77
CA-D37X-10	10'	F-M, 37 PIN D-SUB CABLE	39.18	36.38	56.02
CA-D37X-15	15'	F-M, 37 PIN D-SUB CABLE	47.26	43.89	67.59
CA-D37X-25	25'	F-M, 37 PIN D-SUB CABLE	63.43	58.90	90.71
CA-D37X-50	50'	F-M, 37 PIN D-SUB CABLE	103.86	96.44	148.52
CA-D37X-75	75'	F-M, 37 PIN D-SUB CABLE	144.28	133.98	206.32
CA-D37X-100	100'	F-M, 37 PIN D-SUB CABLE	184.71	171.51	264.13

DD50 CABLES - SHIELDED

PART #		DESCRIPTION	1-4	5-99	LIST
CA-D50M-6	6'	M-M, 50 PIN D-SUB CABLE	36.65	34.03	52.41
CA-D50M-10	10'	M-M, 50 PIN D-SUB CABLE	43.12	40.04	61.66
CA-D50M-15	15'	M-M, 50 PIN D-SUB CABLE	51.21	47.55	73.22
CA-D50M-25	25'	M-M, 50 PIN D-SUB CABLE	67.38	62.56	96.35
CA-D50M-50	50'	M-M, 50 PIN D-SUB CABLE	107.80	100.10	154.15
CA-D50M-75	75'	M-M, 50 PIN D-SUB CABLE	148.23	137.64	211.96
CA-D50M-100	100'	M-M, 50 PIN D-SUB CABLE	188.65	175.18	269.77

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

CA-D50X-6	6'	F-M,	50	PIN	D-SUB	CABLE	38.96	36.18	55.72
CA-D50X-10	10'	F-M,	50	PIN	D-SUB	CABLE	45.43	42.19	64.96
CA-D50X-15	15'	F-M,	50	PIN	D-SUB	CABLE	53.52	49.69	76.53
CA-D50X-25	25'	F-M,	50	PIN	D-SUB	CABLE	69.69	64.71	99.65
CA-D50X-50	50'	F-M,	50	PIN	D-SUB	CABLE	110.11	102.25	157.46
CA-D50X-75	75'	F-M,	50	PIN	D-SUB	CABLE	150.54	139.78	215.27
CA-D50X-100	100'	F-M,	50	PIN	D-SUB	CABLE	190.96	177.32	273.07

DE09 CABLES — UNSHIELDED

PART #							1-4	5-99	LIST
CA-D09M-6	6'	M-M,	9	PIN	D-SUB	CABLE	11.09	10.30	15.86
CA-D09M-10	10'	M-M,	9	PIN	D-SUB	CABLE	12.18	11.31	17.42
CA-D09M-15	15'	M-M,	9	PIN	D-SUB	CABLE	13.55	12.58	19.38
CA-D09M-25	25'	M-M,	9	PIN	D-SUB	CABLE	16.29	15.13	23.30
CA-D09M-50	50'	M-M,	9	PIN	D-SUB	CABLE	23.16	21.51	33.12
CA-D09M-75	75'	M-M,	9	PIN	D-SUB	CABLE	30.01	27.87	42.92
CA-D09M-100	100'	M-M,	9	PIN	D-SUB	CABLE	36.87	34.23	52.72
CA-D09X-6	6'	F-M,	9	PIN	D-SUB	CABLE	11.09	10.30	15.86
CA-D09X-10	10'	F-M,	9	PIN	D-SUB	CABLE	12.18	11.31	17.42
CA-D09X-15	15'	F-M,	9	PIN	D-SUB	CABLE	13.55	12.58	19.38
CA-D09X-25	25'	F-M,	9	PIN	D-SUB	CABLE	16.29	15.13	23.30
CA-D09X-50	50'	F-M,	9	PIN	D-SUB	CABLE	23.16	21.51	33.12
CA-D09X-75	75'	F-M,	9	PIN	D-SUB	CABLE	30.01	27.87	42.92
CA-D09X-100	100'	F-M,	9	PIN	D-SUB	CABLE	36.87	34.23	52.72

IBM — PC

PART #							1-4	5-99	LIST
CA-1030-6	6'	IBM	PC	PARALLEL	PRINTER	CABLE	10.64	9.88	15.22
CA-1030-10	10'	IBM	PC	PARALLEL	PRINTER	CABLE	12.03	11.17	17.20
CA-1030-25	25'	IBM	PC	PARALLEL	PRINTER	CABLE	17.23	16.00	24.64
CA-1030-50	50'	IBM	PC	PARALLEL	PRINTER	CABLE	25.89	24.04	37.02
CA-1031-6	6'	IBM	PC	MODEM	CABLE		10.52	9.77	15.04
CA-1031-10	10'	IBM	PC	MODEM	CABLE		11.61	10.78	16.60
CA-1032-6	6'	IBM	PC	SERIAL	PRINTER	CABLE	8.53	7.92	12.20
CA-1032-10	10'	IBM	PC	SERIAL	PRINTER	CABLE	8.95	8.31	12.79
CA-1032-25	25'	IBM	PC	SERIAL	PRINTER	CABLE	10.53	9.78	15.06
CA-1034-6	6'	IBM	PC	TO IDS	PRINTER		13.44	12.48	19.23
CA-1034-10	10'	IBM	PC	TO IDS	PRINTER		14.83	13.77	21.21
CA-1036-6	6'	IBM	PC	GAME PORT	EXTENSION		14.60	13.56	20.88
CA-1036-10	10'	IBM	PC	GAME PORT	EXTENSION		15.99	14.84	22.86
CA-1037-3	3'	IBM	PC	KEYBOARD	EXTENSION		3.77	3.50	5.40
CA-1037-6	6'	IBM	PC	KEYBOARD	EXTENSION		4.28	3.98	6.12
CA-1037-10	10'	IBM	PC	KEYBOARD	EXTENSION		4.94	4.59	7.07
CA-1038-3	3'	IBM	PC	MONITOR	EXTENSION		10.56	9.81	15.11
CA-1038-6	6'	IBM	PC	MONITOR	EXTENSION		11.72	10.88	16.76
CA-1038-10	10'	IBM	PC	MONITOR	EXTENSION		13.24	12.30	18.94

IBM — PC AT

PART #							1-4	5-99	LIST
CA-1035-6	6'	IBM	PC	AT MODEM	CABLE		10.80	10.02	15.44
CA-1035-10	10'	IBM	PC	AT MODEM	CABLE		11.90	11.05	17.02

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

NEC - APC

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1160-6	6' NEC APC PARALLEL CABLE	15.17	14.09	21.69
CA-1160-10	10' NEC APC PARALLEL CABLE	17.33	16.09	24.77

OSBORNE - ONE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1000-6	6' OSBORNE 1 PRINTER CABLE	15.45	14.34	22.09
CA-1000-10	10' OSBORNE 1 PRINTER CABLE	18.68	17.35	26.71

RADIO SHACK - COLOR COMPUTER

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1110-6	6' COLOR COMPUTER PRINTER CABLE	5.74	5.33	8.21
CA-1110-10	10' COLOR COMPUTER PRINTER CABLE	6.16	5.72	8.81

RADIO SHACK - TRS-80 I, III, 4

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1080-6	6' TRS-80 I, III, 4 PRINTER CABLE	15.92	14.79	22.77
CA-1080-10	10' TRS-80 I, III, 4 PRINTER CABLE	19.16	17.79	27.40

RADIO SHACK - TRS-80 II, 12, 16

PART #	DESCRIPTION	1-4	5-99	LIST
CA-1090-6	6' TRS-80 II, 12, 16 PRINTER CABLE	18.33	17.02	26.21
CA-1090-10	10' TRS-80 II, 12, 16 PRINTER CABLE	21.56	20.02	30.83
CA-1090-15	15' TRS-80 II, 12, 16 PRINTER CABLE	25.61	23.78	36.62

RS-232 - 4 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R04M-6	6' 4 LINE, M-M, RS-232 CABLE	7.95	7.38	11.36
CA-R04M-10	10' 4 LINE, M-M, RS-232 CABLE	8.38	7.78	11.98
CA-R04M-25	25' 4 LINE, M-M, RS-232 CABLE	9.95	9.24	14.23
CA-R04M-50	50' 4 LINE, M-M, RS-232 CABLE	12.57	11.67	17.97
CA-R04M-75	75' 4 LINE, M-M, RS-232 CABLE	15.22	14.13	21.76
CA-R04M-100	100' 4 LINE, M-M, RS-232 CABLE	17.83	16.56	25.50
CA-R04X-6	6' 4 LINE, F-M, RS-232 CABLE	7.95	7.38	11.36
CA-R04X-10	10' 4 LINE, F-M, RS-232 CABLE	8.38	7.78	11.98
CA-R04X-25	25' 4 LINE, F-M, RS-232 CABLE	9.95	9.24	14.23
CA-R04X-50	50' 4 LINE, F-M, RS-232 CABLE	12.57	11.67	17.97
CA-R04X-75	75' 4 LINE, F-M, RS-232 CABLE	15.22	14.13	21.76
CA-R04X-100	100' 4 LINE, F-M, RS-232 CABLE	17.83	16.56	25.50

RS-232 - 12 LINE

PART #	DESCRIPTION	1-4	5-99	LIST
CA-R12M-6	6' 12 LINE, M-M, RS-232 CABLE	10.60	9.84	15.15
CA-R12M-10	10' 12 LINE, M-M, RS-232 CABLE	11.75	10.91	16.80
CA-R12M-25	25' 12 LINE, M-M, RS-232 CABLE	16.06	14.91	22.97
CA-R12M-50	50' 12 LINE, M-M, RS-232 CABLE	23.25	21.59	33.23
CA-R12M-75	75' 12 LINE, M-M, RS-232 CABLE	30.43	28.26	43.52
CA-R12M-100	100' 12 LINE, M-M, RS-232 CABLE	37.64	34.95	53.82

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

CA-R12X-6	6'	12	LINE, F-M,	RS-232	CABLE	10.60	9.84	15.15
CA-R12X-10	10'	12	LINE, F-M,	RS-232	CABLE	11.75	10.91	16.80
CA-R12X-25	25'	12	LINE, F-M,	RS-232	CABLE	16.06	14.91	22.97
CA-R12X-50	50'	12	LINE, F-M,	RS-232	CABLE	23.25	21.59	33.25
CA-R12X-75	75'	12	LINE, F-M,	RS-232	CABLE	30.43	28.26	43.52
CA-R12X-175	175'	12	LINE, F-M,	RS-232	CABLE	59.21	54.98	84.67

RS-232 - 25 LINE

PART #			DESCRIPTION			1-4	5-99	LIST
CA-R25M-6	6'	25	LINE, M-M,	RS-232	CABLE	14.60	13.56	20.88
CA-R25M-10	10'	25	LINE, M-M,	RS-232	CABLE	16.76	15.56	23.96
CA-R25M-25	25'	25	LINE, M-M,	RS-232	CABLE	24.84	22.87	35.52
CA-R25M-50	50'	25	LINE, M-M,	RS-232	CABLE	38.32	35.58	54.79
CA-R25M-75	75'	25	LINE, M-M,	RS-232	CABLE	51.79	48.09	74.06
CA-R25M-100	100'	25	LINE, M-M,	RS-232	CABLE	65.27	60.60	93.33
CA-R25X-6	6'	25	LINE, F-M,	RS-232	CABLE	14.60	13.56	20.88
CA-R25X-10	10'	25	LINE, F-M,	RS-232	CABLE	16.76	15.56	23.96
CA-R25X-25	25'	25	LINE, F-M,	RS-232	CABLE	24.84	23.07	35.52
CA-R25X-50	50'	25	LINE, F-M,	RS-232	CABLE	38.32	35.58	54.79
CA-R25X-75	75'	25	LINE, F-M,	RS-232	CABLE	51.79	48.09	74.06
CA-R25X-100	100'	25	LINE, F-M,	RS-232	CABLE	65.27	60.60	93.33

RS-232 - FLAT

PART #			DESCRIPTION			1-4	5-99	LIST
CA-RFLF-1	1'	RS-232	FLAT F-F CABLE			10.29	9.55	14.71
CA-RFLF-6	6'	RS-232	FLAT F-F CABLE			13.55	12.58	19.38
CA-RFLM-1	1'	RS-232	FLAT M-M CABLE			10.29	9.55	14.71
CA-RFLM-6	6'	RS-232	FLAT M-M CABLE			13.55	12.58	19.38
CA-RFLM-10	10'	RS-232	FLAT M-M CABLE			16.17	15.02	23.12
CA-RFLX-1	1'	RS-232	FLAT F-M CABLE			10.29	9.55	14.71
CA-RFLX-6	6'	RS-232	FLAT F-M CABLE			13.55	12.58	19.38
CA-RFLX-10	10'	RS-232	FLAT F-M CABLE			16.17	15.02	23.12

RS-232 SHIELDED - 4 LINE

PART #			DESCRIPTION			1-4	5-99	LIST
CA-S04M-6	6'	4L	M-M SHIELDED	RS232	CABLE	9.29	8.62	13.28
CA-S04M-10	10'	4L	M-M SHIELDED	RS232	CABLE	9.95	9.24	14.23
CA-S04M-25	25'	4L	M-M SHIELDED	RS232	CABLE	12.47	11.58	17.84
CA-S04M-50	50'	4L	M-M SHIELDED	RS232	CABLE	16.65	15.46	23.81
CA-S04M-75	75'	4L	M-M SHIELDED	RS232	CABLE	20.85	19.36	29.82
CA-S04M-100	100'	4L	M-M SHIELDED	RS232	CABLE	25.03	23.24	35.79
CA-S04X-6	6'	4L	F-M SHIELDED	RS232	CABLE	9.29	8.62	13.28
CA-S04X-10	10'	4L	F-M SHIELDED	RS232	CABLE	9.95	9.24	14.23
CA-S04X-25	25'	4L	F-M SHIELDED	RS232	CABLE	12.47	11.58	17.84
CA-S04X-50	50'	4L	F-M SHIELDED	RS232	CABLE	16.65	15.46	23.81
CA-S04X-75	75'	4L	F-M SHIELDED	RS232	CABLE	20.85	19.36	29.82
CA-S04X-100	100'	4L	F-M SHIELDED	RS232	CABLE	25.03	23.24	35.79

RS-232 SHIELDED - 12 LINE

PART #			DESCRIPTION			1-4	5-99	LIST
CA-S12M-6	6'	12L	M-M SHIELDED	RS232	CABLE	12.10	11.24	17.31
CA-S12M-10	10'	12L	M-M SHIELDED	RS232	CABLE	13.63	12.66	19.49
CA-S12M-25	25'	12L	M-M SHIELDED	RS232	CABLE	19.37	17.99	27.70
CA-S12M-50	50'	12L	M-M SHIELDED	RS232	CABLE	28.89	26.83	41.31
CA-S12M-75	75'	12L	M-M SHIELDED	RS232	CABLE	38.44	35.69	54.97
CA-S12M-100	100'	12L	M-M SHIELDED	RS232	CABLE	47.97	44.54	68.60

CABLE ASSEMBLIES

CALL FOR CUSTOM CABLES (817) 540-0938

CA-912X-6	6'	12L	F-M	SHIELDED	RS232	CABLE	12.10	11.24	17.31
CA-912X-10	10'	12L	F-M	SHIELDED	RS232	CABLE	13.63	12.66	19.49
CA-912X-25	25'	12L	F-M	SHIELDED	RS232	CABLE	19.37	17.99	27.70
CA-912X-50	50'	12L	F-M	SHIELDED	RS232	CABLE	28.89	26.83	41.31
CA-912X-75	75'	12L	F-M	SHIELDED	RS232	CABLE	38.44	35.69	54.97
CA-912X-100	100'	12L	F-M	SHIELDED	RS232	CABLE	47.97	44.54	68.60

RS-232 SHIELDED - 25 LINE

PART #				DESCRIPTION			1-4	5-99	LIST
CA-925M-6	6'	25L	M-M	SHIELDED	RS232	CABLE	15.55	14.44	22.24
CA-925M-10	10'	25L	M-M	SHIELDED	RS232	CABLE	17.71	16.45	25.33
CA-925M-25	25'	25L	M-M	SHIELDED	RS232	CABLE	25.80	23.95	36.89
CA-925M-50	50'	25L	M-M	SHIELDED	RS232	CABLE	39.27	36.47	56.16
CA-925M-75	75'	25L	M-M	SHIELDED	RS232	CABLE	52.75	48.98	75.43
CA-925M-100	100'	25L	M-M	SHIELDED	RS232	CABLE	66.22	61.49	94.69
CA-925X-6	6'	25L	F-M	SHIELDED	RS232	CABLE	15.55	14.44	22.24
CA-925X-10	10'	25L	F-M	SHIELDED	RS232	CABLE	17.71	16.45	25.33
CA-925X-25	25'	25L	F-M	SHIELDED	RS232	CABLE	25.80	23.95	36.89
CA-925X-50	50'	25L	F-M	SHIELDED	RS232	CABLE	39.27	36.47	56.16
CA-925X-75	75'	25L	F-M	SHIELDED	RS232	CABLE	52.75	48.98	75.43
CA-925X-100	100'	25L	F-M	SHIELDED	RS232	CABLE	66.22	61.49	94.69

TI - 99/4

PART #				DESCRIPTION			1-4	5-99	LIST
CA-1120-6	6'	TI	99/4	PARALLEL PRINTER CBL			13.75	12.77	19.67
CA-1120-10	10'	TI	99/4	PARALLEL PRINTER CBL			16.37	15.20	23.41

TWIN AXIAL

PART #				DESCRIPTION			1-4	5-99	LIST
CA-TWNM-6	6'	TWIN	AXIAL	M-M CABLE			43.49	40.38	62.19
CA-TWNM-10	10'	TWIN	AXIAL	M-M CABLE			44.89	41.68	64.19
CA-TWNM-25	25'	TWIN	AXIAL	M-M CABLE			50.14	46.56	71.70
CA-TWNM-50	50'	TWIN	AXIAL	M-M CABLE			58.91	54.70	84.23
CA-TWNM-75	75'	TWIN	AXIAL	M-M CABLE			67.67	62.83	96.76
CA-TWNM-100	100'	TWIN	AXIAL	M-M CABLE			76.43	70.97	109.30

WANG - DUAL COAXIAL



PART #				DESCRIPTION			1-4	5-99	LIST
CA-WDCO-6	6'	WANG	DUAL	COXIAL CABLE			17.49	16.24	25.02
CA-WDCO-10	10'	WANG	DUAL	COXIAL CABLE			18.91	17.56	27.04
CA-WDCO-25	25'	WANG	DUAL	COXIAL CABLE			24.16	22.44	34.55
CA-WDCO-50	50'	WANG	DUAL	COXIAL CABLE			32.93	30.57	47.08

ZENITH - Z-100


PART #				DESCRIPTION			1-4	5-99	LIST
CA-1260-6	6'	ZENITH	PARALLEL	PRINTER CABLE			13.72	12.74	19.62
CA-1260-10	10'	ZENITH	PARALLEL	PRINTER CABLE			15.11	14.03	21.60

AUTOMATIC SWITCHES

- Automatic or Manual Operation.
- Remote code activated switching.
- Selectable switching codes.
- Centronics (Parallel) interfaces.
- Other interfaces available on request.
- One input, 2, 3, 4 or 5 outputs



COMPUTER CAN SELECT THE HIGH SPEED PRINTER OR THE LETTER QUALITY PRINTER.




COMPUTER CAN AUTOMATICALLY SELECT ANY ONE OF THE 5 PRINTERS.

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
CAS-2000	Centronics Auto Switch, 2 position	210.00	195.00	180.00	165.00	299.95
CAS-3000	Centronics Auto Switch, 3 position	245.00	227.50	210.00	192.50	349.95
CAS-4000	Centronics Auto Switch, 4 position	280.00	260.00	240.00	220.00	399.95
CAS-5000	Centronics Auto Switch, 5 position	315.00	292.50	270.00	247.50	449.95

TO ORDER CALL: (817) 540-0938

PRICING ON
LARGER QUANTITIES
AVAILABLE UPON
REQUEST

ARRICK
COMPUTER PRODUCTS



ARRICK

COMPUTER PRODUCTS

1117 Royal Parkway • Euless, Texas 76040

BULK RATE
U. S. POSTAGE
PAID
PERMIT NO. 164
HURST, TX