

ARRICK

COMPUTER PRODUCTS

2107 West Eules Blvd., Eules, Texas 76040
(817) 540-0938

COMPUTER ACCESSORIES WHOLESALE CATALOG JANUARY 1988


UNINTERRUPTIBLE POWER SUPPLIES SURGE PROTECTORS




DATA SWITCHES CABLE ASSEMBLIES



MEDIA STORAGE




SECURITY PRODUCTS



GLARE SCREENS



BULK CABLE, CONNECTORS, WALL PLATES PRINTER STANDS, PATCH PANELS



- ★ No Minimum Order
- ★ Free Technical Help
- ★ No Nonsense Return Policy

ARRICK
COMPUTER PRODUCTS

- ★ Dealer Logos Available
- ★ Custom Cables, Data Switches
- ★ Most Items In Stock

A LETTER FROM THE MANAGEMENT...

Dear Computer Accessory Reseller:

One purpose of ARRICK COMPUTER PRODUCTS, INC. is to make your company more profitable by providing you with a single source for reliable, quality computer accessories. Since our founding in 1980, we have worked hard to develop this reputation and you have rewarded us with your business. In order to further our service to you, we have expanded this catalog to include new products that carry the high quality standards you have one to expect from us. We welcome Minute Man uninterruptible power supplies from Para Systems. Media storage systems from SRW, Security products from Qualtec, Glare screens from Kantek and the Dclock-II from Microsync. In most cases our pricing will be equal to or more competitive than that of the manufacturer.

ARRICK COMPUTER PRODUCTS, INC. hopes to become your most dependable vendor. We want you to count on us as the company who maintains stock on all products shown, who ships within 48 hours, and is qualified to provide the technical assistance you need.

We wish you a very successful 1988, please feel free to call us at any time with your questions and suggestions.

Tom Walsh,
President

Roger Arrick,
General Manager

OUR POLICY...

HOW TO ORDER

To place orders by phone, call (817) 540-0938 during normal business hours. Having our catalog numbers available will speed the ordering process. Confirming purchase orders are not required. To order by mail send purchase order to:

ARRICK COMPUTER PRODUCTS
Sales Department
P.O. Box 1406
Hurst, Texas 76053

WARRANTY

Most products in this catalog carry a Limited Lifetime Warranty. Products that do carry a limited lifetime warranty are protected against defects in workmanship and material during the lifetime of the original purchaser, providing the product has not been misused, abused, tampered with, or altered in any way. Arrick Computer Products, Inc. and our dealers assume no other liability for loss or expense arising in the use of our product, including any incidental or consequential damages and no other warranties, including any implied warranties, other than the express warranty described above are provided. Please call (817) 540-0938 for information regarding which products are covered by this warranty and specific details about the warranty. Custom products may not be covered by this warranty and may not be returned or exchanged.

SHIPPING

Most items are shipped via UPS. Next day and 2nd day service is also available. Let us know your preference.

PRICES

Prices vary with quantity purchased and are subject to change without notice. Most items can be bought in large quantity and have the shipments scheduled over a number of months in order to take advantage of quantity discounts.

PAYMENTS

All orders are sent C.O.D. with shipping charges added to C.O.D. amount. Company checks are acceptable.

ARRICK
COMPUTER PRODUCTS
YOUR COMPUTER ACCESSORIES DISTRIBUTOR



RESELLERS ONLY

(817) 540-0938

2107 WEST EULESS BLVD. • EULESS, TEXAS 76040

POWER CENTERS

FACTS ABOUT POWER LINE DISTURBANCES

Power line disturbances are frequently the cause of computer "crashes," lost data and other erratic behavior. Lightning, large appliances and power companies are often the source of damaging surges, spikes and noise that can sometimes ruin SOFTWARE AND HARDWARE. Equipment is subject to damage even when turned off. Computer owners tired of this problem frequently invest in some type of surge suppressor/noise filter to protect their valuable system. Most think of the expense as "Insurance," and "expensive insurance" at that.

The ARRICK COMPUTER PRODUCTS power centers protect your system with a minimal investment. The protection offered by the power centers include voltage surge protection, EMI/RFI noise filtration and overload protection. Whether the power center is switched on or off, your equipment will be protected.

SPECIFICATIONS

LINE VOLTAGE: 115 VAC. 50-60 Hz


MAXIMUM LINE CURRENT: 15 AMPERES

CLAMPING VOLTAGE: 150

CLAMPING RESPONSE TIME: LESS THAN 50 NANO-SECONDS

EMI/RFI SUPPRESSION: FILTERS POTENTIAL HARMFUL LEVELS OF EMI/RFI NOISE.

OVERLOAD PROTECTION: 15 AMP RESETABLE CIRCUIT BREAKER.



PC-7 UNDER MONITOR POWER CENTER

Control your computer and peripherals at the touch of a switch. The PC-7 fits under the monitor of most desktop computers and has 6 individually controlled outlets. No more reaching behind equipment in search of hidden power switches. Protects equipment from harmful voltage surges, filter suppresses EMI/RFI noise and a circuit breaker protects against overloads. Convenience and protection at a reasonable price. 1 3/4" height, 15" width, 13" depth.


1-4	\$69.95	5-24	\$64.00	25-99	\$59.00	Retail	\$99.95
-----	---------	------	---------	-------	---------	--------	---------



PC-3 DESKTOP POWER CENTER

- Control of computer and peripherals at the touch of a finger.
- Eliminate reaching behind equipment for power switches.
- 4 individually controlled outlets.
- Convenient desktop design.
- Protects equipment against damaging voltage spikes.
- Filter suppresses EMI/RFI noise.
- 3" height, 6" width, 5" depth.

1-4	\$63.00	5-24	\$58.00	25-99	\$54.00	Retail	89.95
-----	---------	------	---------	-------	---------	--------	-------



PC-4 6 OUTLET POWER CENTER

- Master switch controls 6 outlets.
- Circuit breaker protects against overloads.
- 6 foot power cord.
- Protects equipment against damaging voltage spikes.
- Filter suppresses EMI/RFI noise.


1-4	\$42.00	5-24	\$39.00	25-99	\$36.00	Retail	\$59.95
-----	---------	------	---------	-------	---------	--------	---------

SWITCHES


- Connect and disconnect computers and their components at the flip of a switch.
- Eliminate connector wear caused by plugging and unplugging cables.
- Models compatible with virtually all computers, printers, terminals and modems.
- Attractive all metal design.




APPLICATIONS



ALLOWS USE OF 2 PRINTERS WITH ONE COMPUTER.



BOTH COMPUTERS HAVE ACCESS TO EITHER PRINTER.



2 TERMINALS CAN SHARE ONE PORT ON A COMPUTER.

TYPES

CONNECTOR	SERIES	USED WITH
	ESB	RS-232 (Serial) Interfaces
	CSB	Centronics (Parallel) Interfaces
	3SB	RS-499, Others
	ISB	IEEE-488 Interfaces
	DSB	Commodor, TRS-80, IBM, Others
	9SB	RS-449, Atari, Others
	1SB	NCR, TI, IBM, Others
	PSB	IBM, Other PC's
	RSB	Telephone, Dataphone
	USB	Utility
	BSB	BNC Coaxial
	ASB	TNC Coaxial
	WSB	Wang Dual Coaxial
	XSB	IBM Twinaxial
	VSB	V.35 Interfaces
	MSB	Data Products, Dec, others
	5SB	Data Products, Data Point, Others
	LSB	Phone, Datapoint, Others



ESB SERIES QUICK-SWITCH



TYPE: RS-232 (Serial).

USED WITH: Virtually all devices with the industry standard RS-232 (Serial) interface.

CONNECTORS: Female, 25 pin, DB 25S.

STANDARD SWITCHES

(USED WHEN ONLY 12 OF THE MOST POPULAR LINES
NEED TO BE SWITCHED — 2-8, 11, 15, 17, 20, 22)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2000	RS-232, 2 position, 12 lines switched	53.20	49.40	45.60	41.80	75.95
ESB-3000	RS-232, 3 position, 12 lines switched	60.20	55.90	51.60	47.30	85.95
ESB-4000	RS-232, 4 position, 12 lines switched	70.00	65.00	60.00	55.00	99.95
ESB-5000	RS-232, 5 position, 12 lines switched	74.20	68.90	63.60	58.30	105.95
ESB-6000	RS-232, 6 position, 12 lines switched	88.20	81.90	75.60	69.30	125.95
ESB-X	RS-232, cross over, 12 lines switched	63.00	58.50	54.00	49.50	89.95

SPECIAL SWITCHES

(USED WHEN 24 LINES
NEED TO BE SWITCHED)

MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
ESB-2100	RS-232, 2 position, 24 lines switched	63.00	58.50	54.00	49.50	89.95
ESB-3100	RS-232, 3 position, 24 lines switched	74.20	58.90	63.60	58.30	105.95
ESB-4100	RS-232, 4 position, 24 lines switched	91.00	84.50	78.00	71.50	129.95
ESB-5100	RS-232, 5 position, 24 lines switched	98.00	91.00	84.00	77.00	139.95
ESB-X1	RS-232, cross over, 24 lines switched	84.00	78.00	72.00	66.00	119.95




CSB SERIES QUICK-SWITCH



TYPE: Centronics (Parallel).

USED WITH: Virtually all devices with the industry standard Centronics (Parallel) interface.

CONNECTORS: Female, 36 pin, Amphenol 57-40360.



MODEL	DESCRIPTION	1-4	5-24	25-99	100-499	LIST
CSB-2000	Centronics, 2 position switch	67.20	62.40	57.60	52.80	95.95
CSB-3000	Centronics, 3 position switch	74.20	68.90	63.60	58.30	105.95
CSB-4000	Centronics, 4 position switch	88.20	81.90	75.60	69.30	125.95
CSB-5000	Centronics, 5 position switch	95.20	88.40	81.60	74.80	135.95
CSB-X	Centronics, cross over switch	81.20	75.40	69.60	63.80	115.95

CABLE ASSEMBLIES

SOME OF THE EQUIPMENT THAT WE MAKE CABLES FOR:

ALTOS
COMMODORE
NEC
STM


APPLE
CONVERGENT TECH
OSBORNE
TEXAS INST.

ATARI
IBC
PLEXUS
WANG

CENTRONICS
IBEX
RADIO SHACK
ZENITH

COLUMBIA
IBM
SPERRY
ZILOG

- This is just a partial listing.
- Quick turn-around on custom cables.
- Just specify equipment and length.
- Add .25 for retail packaging.
- Add .50 for thumb screws per cable end.
- No minimum order.



APPLE	1-4	5-99	RETAIL
6' APPLE IIC TO IMAGEWRITER II, #590-0333	6.50	6.00	9.95
6' APPLE IIC TO MODEM 300/1200, #590-0192	6.50	6.00	9.95
6' APPLE IIC TO IMAGEWRITER I, #590-0191	6.50	6.00	9.95
6' APPLE IIE TO IMAGEWRITER II, #590-0335	6.50	6.00	9.95
6' APPLE IIE TO MODEM 300/1200, #590-0121	6.50	6.00	9.95
6' APPLE IIE TO IMAGEWRITER I, #590-0037	6.50	6.00	9.95
6' APPLE MAC TO IMAGEWRITER II, #590-0332	6.50	6.00	9.95
6' APPLE MAC TO MODEM 300/1200, #590-0197	6.50	6.00	9.95
6' APPLE MAC + TO IMAGEWRITER II, #590-0340	6.50	6.00	9.95
6' APPLE MAC + TO IMAGEWRITER	6.50	6.00	9.95

- Add 25 cents per cable for retail packaging.
- Call for pricing on other lengths.
- Call for other APPLE cables.

CENTRONICS PARALLEL	1-4	5-99	RETAIL
CA-C25?-6 6' CENTRONICS CABLE	11.94	11.01	16.95
CA-C25?-10 10' CENTRONICS CABLE	13.89	12.81	19.95
CA-C25?-15 15' CENTRONICS CABLE	16.33	15.06	23.95
CA-C25?-25 25' CENTRONICS CABLE	21.21	19.56	30.95
CA-C24?-50 50' CENTRONICS CABLE	33.40	30.80	47.95

- Specify gender of connectors when ordering.
- Other lengths available.



IBM

		1-4	5-99	RETAIL
CA-1030-6	6' IBM PC PARALLEL PRINTER CABLE	9.65	8.90	13.95
CA-1030-10	10' IBM PC PARALLEL PRINTER CABLE	11.41	10.52	16.95
CA-1030-25	25' IBM PC PARALLEL PRINTER CABLE	17.99	16.59	25.95
CA-1031-6	6' IBM PC MODEM CABLE	7.80	7.19	11.95
CA-1032-6	6' IBM PC SERIAL PRINTER CABLE	6.11	5.64	8.95
CA-1032-10	10' IBM PC SERIAL PRINTER CABLE	6.61	6.10	9.95
CA-1034-6	6' IBM PC TO IDS PRINTER	10.09	9.30	14.95

- Specify equipment when ordering.
- Call for keyboard, mouse, monitor, game port extension cables.
- If you don't see it here, then give us a call!
- Custom cables? No problem — Fast.
- Any length available.

RS-232 SERIAL 12 LINE

		1-4	5-99	RETAIL
CA-R12M-6	6' 12 LINE, M-M, RS-232 CABLE	10.60	9.84	15.15
CA-R12M-10	10' 12 LINE, M-M, RS-232 CABLE	11.75	10.91	16.80
CA-R12M-25	25' 12 LINE, M-M, RS-232 CABLE	16.06	14.91	22.97
CA-R12M-50	50' 12 LINE, M-M, RS-232 CABLE	23.25	21.59	33.25
CA-R12X-6	6' 12 LINE, F-M, RS-232 CABLE	10.60	9.84	15.15
CA-R12X-10	10' 12 LINE, F-M, RS-232 CABLE	11.75	10.91	16.80
CA-R12X-25	25' 12 LINE, F-M, RS-232 CABLE	16.06	14.91	22.97
CA-R12X-50	50' 12 LINE, F-M, RS-232 CABLE	23.25	21.59	33.25

RS-232 SERIAL 25 LINE

		1-4	5-99	RETAIL
CA-R25M-6	6' 25 LINE, M-M, RS-232 CABLE	14.60	13.56	20.88
CA-R25M-10	10' 25 LINE, M-M, RS-232 CABLE	16.76	15.56	23.96
CA-R25M-25	25' 25 LINE, M-M, RS-232 CABLE	24.84	23.07	35.52
CA-R25M-50	50' 25 LINE, M-M, RS-232 CABLE	38.32	35.58	54.79
CA-R25X-6	6' 25 LINE, F-M, RS-232 CABLE	14.60	13.56	20.88
CA-R25X-10	10' 25 LINE, F-M, RS-232 CABLE	16.76	15.56	23.96
CA-R25X-25	25' 25 LINE, F-M, RS-232 CABLE	24.84	23.07	35.52
CA-R25X-50	50' 25 LINE, F-M, RS-232 CABLE	38.32	35.58	54.79

- M-M = Male to Male
- M-F = Male to Female
- F-F = Female to Female
- Any length available.
- Add 50 cents for thumb screws - each end.
- Add 25 cents for retail packaging.
- For bulk cable and connectors see page 15.

MINUTEMANTM



RELIABLE PROTECTION FROM:

- ★ BLACKOUTS
- ★ BROWNOUTS
- ★ OVER VOLTAGE
- ★ SURGES
- ★ SPIKES
- ★ EMI/RFI

FROM 250 to 1600 WATT
UNITS AVAILABLE

- Completely automatic operation
- 1 msec switching time
- Audible and visual status indicators
- Order - ship same day
- Full one year warranty



No matter how reliable or high performance your computer system or peripherals may be, it's only as good as the power you give it.

A power failure, even if only milliseconds long, may cause severe loss of data, hardware damage or some unseen trouble that could 'bite' the user in the future. Low line voltage, noise or voltage spikes can also cause these problems.

The uninterruptible power supplies from Para Systems are designed to solve these problems.

Most units are available from stock for same day shipment.

Specifications and dealer pricing can be found on the following page.



MORE FEATURES FOR THE PRICE!

Each UPS in Para System's product line offers the most functions and benefits available...providing emergency standby power during blackouts and brownouts as well as safely protecting your equipment from surges, spikes and EMI/RFI conditions. Operation is automatic and status indicators tell you exactly which operation mode is functioning. Depending upon the requirements of your system,

both synchronized stepped rectangular and synchronized sinewave outputs are offered in 120 volt, 230 volt models and 1 millisecond switching time are available which meet most sensitive equipment specifications. All these features at a very reasonable price is why Para Systems has become a leader in the power protection industry.

DEDICATION TO QUALITY!

Para Systems stands behind each and every product sold! Because of the quality and reliability that is designed and built into all Minuteman UPS models, a thirty-day moneyback or replacement guarantee is offered.

A full one years warranty is provided for each UPS model (a complete warranty statement is included with each shipment). Technical support is available to support users of the Minuteman products.

ARRICK
COMPUTER PRODUCTS

YOUR COMPUTER ACCESSORIES DISTRIBUTOR



RESELLERS ONLY

(817) 540-0938

2107 WEST EULESS BLVD. • EULESS, TEXAS 76040




MINUTEMAXTM

SPECIFICATIONS AND PRICING

AC MODE:		250 WATT 120 VOLT MM250/1AC	300 WATT 120 VOLT MM300SS/1	500 WATT 120 VOLT MM500/1	600 WATT 120 VOLT MM600SS/1	1200 WATT 120 VOLT MM1200SS/1	1600 WATT 120 VOLT MM16SS/1
Output Power Max.	(WATTS)	300	300	600	700	1200	1600
Input Voltage	(volts)	117 ± 15	117 ± 15	117 ± 15	117 ± 15	117 ± 15	117 ± 15
Input Frequency	(Hz)	60	60	60	60	60	60
SURGE & NOISE PROTECTION							
Surge Clamping Level Peak	(volts)	200	200	200	200	200	200
Surge Clamping Response Time, Max.	(pico sec.)	5	5	5	5	5	5
Surge Energy Rating, Max.	(joules)	100	100	100	100	100	100
Peak Pulse Current (20 ms) Max.	(amperes)	6000	6000	6000	6000	6000	6000
Line Noise Attenuation, Min. 100 KHz (db)		-20	-20	-20	-20	-20	-20
100 MHz (db)		-138	-138	-138	-138	-138	-138
INVERTER MODE							
Output Waveform		Stepped Rectangular	Synchronized Sinewave	Synchronized PWM	Synchronized Sinewave	Synchronized Sinewave	Synchronized Sinewave
Output Power, Max.	(WATTS)	250	300	500	600	1200	1600
Output Voltage	(RMS volts)	117 ± 13%	117 ± 5%	117 ± 5%	117 ± 5%	117 ± 5%	117 ± 5%
Output Frequency	(Hz)	60 ± 1	60 ± 1	60 ± 1	60 ± 1	60 ± 1	60 ± 1
Run Time Full Load	(minutes)	6	10	10	8	10*	15
Half Load	(minutes)	15	25	30	20	25	30
Low Battery Automatic Cut Off		N/A	Yes	Yes	Yes	Yes	Yes
Overload Automatic Cut Off		N/A	Yes	Yes	Yes	Yes	Yes
UNDERVOLTAGE SWITCHING							
Input Voltage from AC to Inverter	(volt)	102	102	102	102	102	102
Input Voltage from Inverter to AC	(volt)	109	109	109	109	109	109
OVERVOLTAGE SWITCHING							
Input Voltage to Switch from AC to Inverter	(volts)	N/A	132	132	132	132	132
Input Voltage to Switch from Inverter to AC	(volts)	N/A	125	125	125	125	125
TRANSFER TIME: Line to Battery, Max.	(ms)	4	1	4	1	1	1
Battery to Line, Max.	(ms)	2	1	2	1	1	1
STATUS INDICATORS							
LED Displays		3 Levels	7 Levels	4 Levels	7 Levels	7 Levels	7 Levels
Alarms		2 Levels	2 Levels	2 Levels	2 Levels	2 Levels	2 Levels
Auto Reset Alarm Silencer		No	Yes	Yes	Yes	Yes	Yes
MECHANICAL							
Dimensions L x W x H	(inches)	11.6 x 8 x 4.8	14.3 x 12.4 x 7.3	14.5 x 12.3 x 7.4	17.8 x 12.4 x 7.1	18.3 x 12.4 x 13.1**	18.3 x 12.4 x 15.5**
Weight (unit only)	(lbs.)	19	39	50	64	95	142
Battery: sealed Maintenance free	(volts)	12 VDC	24 VDC	24 VDC	48 VDC	48 VDC	48 VDC
SUGGESTED RETAIL PRICE (includes batteries)							
Dealer Price Qty 1-3	33% Off	\$241.00	\$365.00	\$470.00	\$595.00	\$ 999.00	\$1339.00
Dealer Price Qty 4-9	35% Off	\$233.00	\$357.00	\$454.00	\$584.00	\$ 974.00	\$1299.00
Dealer Price Qty 10-up	37% Off	\$226.00	\$345.00	\$440.00	\$566.00	\$ 944.00	\$1259.00

**Dimensions Of Control Unit Only

5¼" DISKETTE PRODUCTS



Minidex / 78[®] Modular ViewFile for 5¼" Diskettes


Each Minidex/78 holds seventy-two (72) 5¼" diskettes in six individual color-coded cartridges. Each cartridge holds twelve (12) diskettes. They are neatly organized in an attractive "Full View" case. The cartridges are removable to go from work station to work station.

CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$9.45	\$113.43	\$19.95
5	\$8.60	\$103.17	

Carton Quantity: 12 Single Minidex/78 units per shipping carton.

Carton Weight: 35 lbs.

Part Number: 73-50-257



"Color Coder"[™] Library Case for 5¼" Diskettes

Each "Color Coder" Library Case holds ten (10) 5¼" diskettes, and includes 10 color-coded diskette ID labels and one spine label. The 5-Pak is attractively packaged for retail display and multiple unit sales.


CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	5-Pak—\$9.36	\$112.29	
5	5-Pak—\$7.93	\$ 95.19	5-Pak—\$17.95

Carton Quantity: Twelve 5-Paks per shipping carton.

Carton Weight: 34 lbs.

Part Number: 50-50-169

Color: Red, Yellow, Blue, Green, and Grey



"Library Case"[®] (MiniKas-ette / 10) for 5¼" Diskettes

The standard 5¼" MiniK/10 Library Case holds ten (10) 5¼" diskettes. It includes a spine label and is attractively packaged in a full color sleeve for retail display.


CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$1.57	\$94.05	\$3.95
5	\$1.33	\$79.80	

Carton Quantity: 60 Single Library Cases per shipping carton.

Carton Weight: 33 lbs.

Part Number: 22-02-002 — Black

22-04-002 — Process Blue



Portable Slimline Versa-Pak[™] for 5¼" Diskettes

The Versa-Pak holds up to five (5) 5¼" diskettes, and includes a face label for diskette identification. It is compact and rugged for carrying, shipping, or mailing diskettes. The Versa-Pak is attractively packaged for retail display.

CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$1.33	\$66.50	\$2.95
5	\$1.16	\$57.95	

Carton Quantity: 50 Single units per shipping carton.


Carton Weight: 19 lbs.

Part Number: 28-03-181 — Champagne

28-04-181 — Process Blue



3 1/2" DISKETTE PRODUCTS



Microdex / 25[®] Modular ViewFile for 3 1/2" Micro Disks

Each Microdex/25 holds twenty-five (25) 3 1/2" micro disks. Five individual cartridges are stairstepped to instantly read 25 disk titles and pop out to provide mobility. The Microdex/25 is attractively packaged in full color graphics for retail display.


CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$9.17	\$110.01	\$17.95
5	\$8.31	\$ 99.75	

Carton Quantity: 12 Microdex/25 units per shipping carton.

Carton Weight: 25 lbs.

Part Number: 71-50-242

Color: Color Coded



Micro Disk Cube[™] for 3 1/2" Micro Disks

The Cube holds five (5) color-coded Micro/5 cases for 3 1/2" disks. Cube capacity is twenty-five (25) 3 1/2" disks. The Cube Organizer can be stacked to form a complete color-coded filing system with infinite capacity. Includes face and spine labels.


CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$6.24	\$149.80	\$10.95
5	\$5.21	\$124.94	

Carton Quantity: 24 Cubes each with five (5) Micro/5 cases.

Carton Weight: 28 lbs.

Part Number: 64-50-314

Color: Pearl White



Micro Disk / 10[™] Library Case for 3 1/2" Micro Disks

Each case holds ten (10) 3 1/2" micro disks. It includes a disk identification label and spine label. The case easels with a "step-up" feature for reading all 10 disk labels. The Micro Disk/10 is attractively packaged for retail display.

CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$1.81	\$86.64	\$4.95
5	\$1.66	\$79.80	

Carton Quantity: 48 Single Micro Disk/10 Library Cases per shipping carton.

Carton Weight: 31 lbs.

Part Number: 29-04-182

Color: Process Blue



Micro / 5 ComPak Case[™]

Each case holds five (5) 3 1/2" micro disks and includes a face and spine label. Its compact design provides the user a neat and easy method for carrying 5 micro disks. The 2-Pak consists of 2 individual cases.

CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$1.68	\$40.36	\$2.95
5	\$1.41	\$33.74	


Carton Quantity: Twenty-four 2-Paks per shipping carton.

Carton Weight: 8 lbs.

Part Number: 38-04-227

Color: Process Blue

DATA CARTRIDGE PRODUCTS



Data Cartridge Cube[®] for DC 300 / 600 Tapes

Each Organizer holds ten (10) tape cartridges in original protective cases. Selected unit tilts out for easy retrieval. Organizers stack to form a complete filing system.

CARTONS	EACH UNIT	CARTON	RETAIL/EACH
1	\$7.38	\$177.16	\$12.95
5	\$6.16	\$147.74	

Carton Quantity: 24 retail-packed Cubes per shipping carton.

Carton Weight: 27 lbs.

Part Number: 77-47-325

Color: Pearl White



QUALTEC SECURITY PRODUCTS

After looking for a security product line that would meet our dealers needs we selected QUALTEC. These products are easy to install and will definitely get the job done. Dealer margins are about 40% and the quality is excellent. Many Schools, Universities and Companies are interested in deterring the theft of their valuable investments. We will be stocking these items ready for shipment for your convenience. Please keep us informed on how it is going.

PC-LOK POWER SWITCH LOCK

The PC-LOK allows you to lock your power switch in either the ON or OFF position. Also makes it impossible to remove the computer cover and gain access to the interior eliminating board swapping. Has hook for use with steel cable (CABLE-LOK), not included. Mounts to the existing screw holes in the cabinet with a screwdriver. Will not void manufacturer's warranties. Models for PC, PC-XT and PC-AT



PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
PC-LOK-1	Power Switch Lock for PC-XT	29.97	27.47	49.95
PC-LOK-2	Power Switch Lock for PC-AT	41.97	38.47	69.95




MICRO-LOK CHASSIS LOCK

The MICRO-LOK prevents access to the interior of the computer and attaches it to the desk with a 5 foot steel cable (CABLE-LOK) and resettable combination lock. Mounts easily to existing screw holes. Models for PC, PC-XT, PC-AT and PS/2 model 50.

PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
MICRO-LOK-1	Chassis Lock for PC-XT	17.97	16.47	29.95
MICRO-LOK-2	Chassis Lock for PC-AT	23.97	21.97	39.95
MICRO-LOK-3	Chassis Lock for PS/2 Model 50	23.97	21.97	39.95






UNI-KIT UNIVERSAL LOCK KIT

The UNI-KIT is a multipurpose anti-theft security product that can be used to secure a broad range of equipment. Each kit consists of two housings with mating fittings, resetable combination lock and a steel cable (CABLE-LOK) or adhesive pad (PAD-LOK). The equipment being secured must have two existing screws or bolts. Simply remove the screws and reinstall through the small housing provided. The mating fitting will secure the screws and provide an attachment point for the steel cable. Can be used on typewriters, copiers, TV's, VCR's, computers, printers and is easy to install.


PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
UNI-KIT-1	Universal Lock Kit with Cable Only	17.97	16.47	29.95
UNI-KIT-2	Universal Lock Kit with Pad, Cable	23.97	21.97	39.95



LOK-KIT PAD, CABLE, LOCK KIT

Each LOK-KIT contains (2) 3-1/2" x 4" adhesive pads, 3 foot steel cable and a resetable combination lock to satisfy a wide range of security applications. Also included is a cleaning pad and rubber feet to elevate equipment if needed. This product can be used on almost any office equipment, audio/visual equipment or computer equipment. Picture shows one additional adhesive pad.


PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
LOK-KIT-3A	Lock Kit with Pad, Cable, Lock	17.97	16.47	29.95



PAD-LOK ADHESIVE PADS

Security for most equipment can be achieved with these adhesive backed pressure sensitive pads. Each heavy duty black anodized pad is attached to a steel cable through a steel rivet. The adhesive strength of each PAD-LOK is rated at an unbelievable 120 pounds per square inch! Very easy to install.


PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
PAD-LOK-1	3-1/2" x 4" Pad, 3 Inch Cable	8.97	8.22	14.95
PAD-LOK-1B	2" x 3" Pad, 3 Inch Cable	8.37	7.67	13.95
PAD-LOK-P1	2-1/2" x 6" Pad, 3 Inch Cable	10.17	9.32	16.95



CABLE-LOK STEEL CABLE

These cables are made of heavy duty 3/16" 7x9 multistrand aircraft style steel cable and are coated with vinyl to prevent scratching of equipment. Every cable has a fitting at each end that allows it to be looped or attached to a lock. Cables can be linked together to create longer lengths.

PART NUMBER	DESCRIPTION	DLR 1-9	DLR 10-UP	RETAIL
CABLE-LOK-5	5 Foot Vinyl Coated Steel Cable	6.57	6.02	10.95



ERGO-VISION™

ANTI-GLARE FILTERS

THE GLARING SOLUTION



THE PROBLEM

90% of people who use computer terminals are suffering needlessly from eye strain. This is a result of light reflected on the CRT screen, which causes eye strain, fatigue and headaches. This can mean a reduction of up to 20% in productivity and efficiency.

THE GLARING SOLUTION

Introducing **Ergo-Vision™**, the economical anti-glare filter. This non-fading glare absorbing filter fits easily onto any CRT to:

- Eliminate CRT glare,
- Reduce eye strain by increasing character contrast,
- Improve character resolution.

All this adds up to an **increased operator efficiency of up to 20%.**

WHAT EXACTLY IS ERGO-VISION™

Ergo-Vision™ anti-glare filters are constructed of specially designed European black nylon micro-monofilament mesh that blocks residual light and increases contrast ratio, resulting in a crisper and sharper image than any other filter manufactured in the world today. **Ergo-Vision™** is available in a large variety of sizes to fit all CRT models, both color and monochrome.

BETTER THAN GLASS

While some might feel that expensive glass filters are the better investment think of this:

Ergo-Vision™ is non-reflecting mesh • Glass reflects

Ergo-Vision™ does not promote fingerprints • Glass does

Ergo-Vision™ is economically priced • Glass is costly

HOW TO ORDER: Specify monitor make and model number when ordering. Price is based on the glare filter size measured diagonally. We stock most of the popular models. Your suggestions are welcome.

MONITOR TYPE	FILTER SIZE DIAGONAL	DEALER 1-10 50% OFF	DEALER 10-50 55% OFF	RETAIL
MONOCHROME	9" - 11"	12.50	11.25	24.95
MONOCHROME	12" - 13"	15.00	13.50	29.95
MONOCHROME	14" - 16"	17.50	15.75	34.95
COLOR	9" - 11"	15.00	13.50	29.95
COLOR	12" - 13"	17.50	15.75	34.95
COLOR	14" - 16"	20.00	18.00	39.95


ARRICK
COMPUTER PRODUCTS
YOUR COMPUTER ACCESSORIES DISTRIBUTOR



RESELLERS ONLY

(817) 540-0938

2107 WEST EULESS BLVD. • EULESS, TEXAS 76040



dClock-II Slotless Clock-Calendar

The dClock-II is a slotless real-time clock/calendar that automatically enters the correct date and time each time you turn your personal computer on. With dClock-II, you don't have to waste time figuring out the date and time in 24-hour notation and then entering them. The dates and times recorded on your files are always accurate. dClock-II does not take up a valuable expansion slot, but plugs into the back of your floppy disk drive. Installation takes about 5 minutes. Battery lasts for about 3 years. Works with PC, XT, AT and compatibles.

PART NUMBER	DESCRIPTION	1-5	6-11	RETAIL
DCLOCK-II	Slotless Clock-Calendar	37.50	35.00	49.50



Desktop Printer Stands

These heavy duty desktop printer stands are made of steel, have a slot for bottom feed printers and rubber feet to protect the desk. Finished with a tough coat of putty color paint. Models available for 80 or 132 column printers.

PART NUMBER	DESCRIPTION	1-4	5-99	RETAIL
PS-80	80 Column Desktop Printer Stand	17.50	15.00	24.95
PS-132	132 Column Desktop Printer Stand	21.00	18.00	29.95



Bulk Cable

PART NUMBER	DESCRIPTION	PRICE PER FOOT	RETAIL
C-4	4 Conductor Unshielded Cable	NOTES: Due to changes in copper prices it is not possible to publish accurate prices, please give us a call.	
C-4S	4 Conductor Shielded Cable		
C-12	12 Conductor Unshielded Cable		
C-12S	12 Conductor Shielded Cable		
C-25S	25 Conductor Shielded Cable		
RG-59	RG-59 Coax Cable		

— Twinaxial, Ribbon, Plenum and Other Cable Available - Please Call —





Connectors, Wall Plates, Hardware

PART NUMBER	DESCRIPTION	1-9	10-99	RETAIL
DB25P	25 Pin Male RS-232 Solder Connector	.95	.80	1.95
DB25S	25 Pin Female RS-232 Solder Connector	.95	.80	1.95
DB25H	Hood for 25 Pin RS-232 Connectors	.95	.80	1.95
T-Screws	Thumb Screws for Hoods (Set of 2)	.50	.40	.95
D-20418-2	Jacksockets to Mount Conn to Panel	.50	.40	.95
57-30360	36 Pin Male Centronics Connector	3.34	3.08	5.95
57-40360	36 Pin Female Centronics Connector	3.34	3.08	5.95
WP-1	Wall Plate for 1 25-Pin Connector	3.34	3.08	5.95
WP-2	Wall Plate for 2 25-Pin Connectors	5.85	5.39	9.95
PP-16	16 Cutout Rack Mount Patch Panel	25.00	21.00	39.95

—TWINAXIAL, RIBBON, BNC, CIRCULAR DIN AND OTHER CONNECTORS AVAILABLE—

Table of Contents

- 2 Our Policy
- 3 Power Centers/Surge Protectors
- 4 Data Switch Application Notes
- 5 RS-232 and Centronics Data Switches
- 6 Cable Assemblies
- 8 Minute Man Uninterruptible Power Supplies
- 10 SRW Media Storage Products
- 12 Qualtec Security Products
- 14 Kantek Glare Screens



ARRICK

COMPUTER PRODUCTS

2107 West Euleless Blvd., Euleless, Texas 76040
(817) 540-0938

Bulk Rate
U.S. POSTAGE
PAID
Hurst, Texas
Permit No. 164

SEND TO: